

**Description**

MS17984 series pin

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS17984C615
Minimum Qty (MOQ):	1
NSN:	5315-00-937-0965
Schedule B:	7318.24.0000
ECCN:	EAR99
National Motor Freight:	095190, Hardware, Noi Sub 9



\* See page 2 for technical characteristics

## P/N MS17984C615 Specifications

<b>Shank Diameter:</b>	0.3720 Inches Minimum And 0.3735 Inches Maximum
<b>Button Handle Diameter:</b>	0.875 Inches Minimum And 1.135 Inches Maximum
<b>Detent Quantity:</b>	2
<b>End Item Identification:</b>	W/s:ah-64-d Longbow; Missile, All-weather Antiship, Harpoon (agm-84); Helicopter, Mh-53e; Engine, Aircraft, F100-pw-200 (f-16a/b/c/d); Lav, Anti-tank; Missile, Minuteman Lgm-30; Boat, Bridge Erection, Uscsbmk2; Field Artillery Ammunition Support Vehicle (faagv)(m992); Navstar Global Positioning System User Equipment (ue); Engine, Aircraft F100-pw-229 (f15e, F16c/d)
<b>Grip Length:</b>	1.500 Inches Minimum And 1.520 Inches Maximum
<b>Actuation Type:</b>	Push
<b>Hardness Rating:</b>	40.0 Rockwell C Minimum Overall
<b>Shoulder To Head End Distance:</b>	1.040 Inches Maximum
<b>Pin Attachment Type:</b>	Hook
<b>Detent To Tapered End Distance:</b>	0.335 Inches Minimum And 0.365 Inches Maximum
<b>Material:</b>	Steel Comp 630 Shank Or Steel Comp 632 Shank
<b>Material:</b>	Steel Comp 630 Spindle Or Steel Comp 632 Spindle
<b>Material Document And Classification:</b>	Ams 5643 Assn Std 1st Material Response Shank Or Ams 5657 Assn Std 2nd Material Response Shank
<b>Material Document And Classification:</b>	Ams 5643 Assn Std 1st Material Response Spindle Or Ams 5657 Assn Std 2nd Material Response Spindle
<b>Surface Treatment:</b>	Passivate Shank
<b>Surface Treatment:</b>	Passivate Spindle
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Shank
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Spindle
<b>Style Designator:</b>	Button

## How to Order

Order this quick release pin from our inventory online by visiting <https://military-fasteners.com/pins/quick+release+pins/MS17984C615> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.