

# P/N MS20074-03-21

### **Description**

Fastener Length: 2-1/8", Hole Diameter: 1/16", Thread: 10-24, Thread Length: "

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

| SKU / Model:       | MS200740321      |
|--------------------|------------------|
| Minimum Qty (MOQ): | 5 EA             |
| NSN:               | 5306-00-816-5769 |
| Schedule B:        | 7318.15.8085     |
|                    |                  |

ECCN: 9A991

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS20074-03-21 Specifications

| Thread Class:                                  | 2-   |
|--|--|
|  | 3a   |
| Thread Direction:                              | Right-hand   |
| Thread Length:                                 | 0.499 Inches Minimum   |
| Fastener Length:                               | 2.156 Inches Nominal   |
| Head Style:                                    | Hexagon  |
| Head Height:                                   | 0.172 Inches Minimum And 0.203 Inches Maximum  |
| Width Between Flats:                           | 0.367 Inches Minimum And 0.376 Inches Maximum  |
| Hole Diameter:                                 | 0.070 Inches Nominal   |
| Nominal Thread Diameter:                       | 0.190 Inches   |
| Grip Length:                                   | 1.625 Inches Nominal   |
| Hole Quantity:                                 | 6  |
| Hole Type:                                     | Drilled  |
| Features Provided:                             | Finished Head  |
| Thread Quantity Per Inch:                      | 24   |
| Minimum Tensile Strength:                      | 125000 Pounds Per Square Inch  |
| Hardness Rating:                               | 26.0 Rockwell C Minimum Overall And 32.0 Rockwell C Maximum Overall  |
| Hole Configuration Style:                      | Hexagon Longitudinal Hole  |
| Material:                                      | Steel Comp 8740 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 4037 Overall Or Steel Comp 4130 Overall Or Steel Comp 4140 Overall   |
| Material Document And Classification:          | Mil-s-6049 Mil Spec 1st Material Response Overall Or Mil-s-6050 Mil Spec 2nd Material Response Overall Or Mil-s-6098 Mil Spec 3rd Material Response Overall Or Ams 6300 Assn Std 4th Material Response Overall Or Mil-s-6758 Mil Spec 5th Material Response Overall Or Mil-s-5626 Mil Spec 6th Material Response Overall |
| Surface Treatment:                             | Cadmium Overall And Chromate Overall   |
| Surface Treatment Document And Classification: | Qq-p-416,type 2,class 3 Fed Spec All Treatment Responses Overall   |
| Thread Series Designator:                      | Unc  |

## **How to Order**

Order this bolt from our inventory online by visiting <a href="https://military-fasteners.com/bolts/machine+bolts/MS20074-03-21">https://military-fasteners.com/bolts/machine+bolts/MS20074-03-21</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out here to complete your order.