



★ FASTENERS

Military-Fasteners.com

P/N MS20219-2

## Description

secondary control nonmetallic sleeve use with cables size: 1/16" and 3/32" bore diameter: 1/4" groove diameter: 1-7/16", max load is 480 lbs

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

SKU / Model:	MS202192
Minimum Qty (MOQ):	1
NSN:	3020-00-287-7919
ECCN:	EAR99
National Motor Freight:	127320, Pulleys / Sheaves,noi



\* See page 2 for technical characteristics

P/N MS20219-2 Specifications

Groove Depth:	0.156 Inches Nominal
Groove Width:	0.150 Inches Nominal
Outside Diameter:	1.745 Inches Minimum And 1.755 Inches Maximum
Overall Length:	0.433 Inches Minimum And 0.438 Inches Maximum
Bore Diameter:	0.2495 Inches Minimum And 0.2500 Inches Maximum
Bore Length:	0.433 Inches Minimum And 0.438 Inches Maximum
Groove Radius:	0.047 Inches Minimum And 0.050 Inches Maximum
Material And Location:	Plastic, Phenolic Overall
Face Width:	0.310 Inches Maximum
Design Form:	Plain
Bore Type:	Straight
Bearings:	Included
Groove Quantity:	1
Counterbore Feature:	Not Included
Bearing Quantity:	1
Keying Facility:	Not Included
Split Hub Feature:	Not Included
Web/spoke Relationship To Face Centerline:	Not Offset
Lightening Hole:	Not Included
Integral Cooling Vane:	Not Included
Groove Shape:	U
Bore Feature:	Included
Bearing Type:	Ball
Hub End Outside Diameter And Location:	0.423 Inches Nominal Both Ends
Distance From Outside Flange/rim To Hub End And Location:	0.064 Inches Nominal Both Ends
Special Features:	Rif Requisition Is Not For Fms,overseas Shipments,naval Vessels, Priority Codes 1,2, Or 3, Or Individual Requisitions Over 25000 Dollars, Then Direct Vendor Delivery Nsn 3020-01-391-0846 Is Available At 15.7% Discount.
Style Designator:	Plain
Nondefinitive Spec/std Data:	Part No. Ms20219-2

## How to Order

Order this groove pulley from our inventory online by visiting <https://military-fasteners.com/pulleys/groove+pulleys/MS20219-2> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.