

**Description**

Use with cables size: 1/16" and 3/32", bore diameter: 1/4", groove diameter: 2-5/16, secondary control nonmetallic sleeve, MS20219 series pulley

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS202194
Minimum Qty (MOQ):	1
NSN:	3020-00-277-1119
Schedule B:	3926.90.9995
ECCN:	EAR99
National Motor Freight:	127320, Pulleys / Sheaves,noi



\* See page 2 for technical characteristics

## P/N MS20219-4 Specifications

<b>Groove Depth:</b>	0.156 Inches Nominal
<b>Groove Width:</b>	0.150 Inches Nominal
<b>Outside Diameter:</b>	2.620 Inches Minimum And 2.630 Inches Maximum
<b>Overall Length:</b>	0.436 Inches Minimum And 0.443 Inches Maximum
<b>Bore Diameter:</b>	0.249 Inches Minimum And 0.250 Inches Maximum
<b>Bore Length:</b>	0.438 Inches Nominal
<b>Groove Radius:</b>	0.047 Inches Minimum And 0.050 Inches Maximum
<b>Furnished Items And Quantity:</b>	N/a
<b>Material And Location:</b>	Plastic, Phenolic Overall
<b>Face Width:</b>	0.310 Inches Nominal
<b>Design Form:</b>	Plain
<b>Bore Type:</b>	Straight
<b>Bearings:</b>	Included
<b>Groove Quantity:</b>	1
<b>Counterbore Feature:</b>	Not Included
<b>Bearing Quantity:</b>	1
<b>Keying Facility:</b>	Not Included
<b>Split Hub Feature:</b>	Not Included
<b>Lightening Hole:</b>	Not Included
<b>Integral Cooling Vane:</b>	Not Included
<b>Groove Shape:</b>	U
<b>Bore Feature:</b>	Included
<b>Bearing Type:</b>	Ball
<b>Special Features:</b>	Rif Requisition Is Not For Fms, Overseas Shipments, Naval Vessels, Priority Codes 1,2,or 3, Or Individual Requisition Over 25000 Dollars, Then Direct Vendor Delivery Nsn 3020-01-391-0798 Is Available At 15.7% Discount.
<b>Style Designator:</b>	Plain

## How to Order

Order this groove pulley from our inventory online by visiting <https://military-fasteners.com/pulleys/groove+pulleys/MS20219-4> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.