

**Description**

Use with cables size: 1/8" and 5/32" and 3/16", bore diameter: 5/16", groove diameter: 3-3/4, lubricated, ball bearing type, flight control, nonmetallic sleeve, MS20220 series pulley

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS202203
Minimum Qty (MOQ):	1
NSN:	3020-00-277-1124
Schedule B:	3926.90.9995
ECCN:	EAR99
National Motor Freight:	127320, Pulleys / Sheaves,noi



\* See page 2 for technical characteristics

## P/N MS20220-3 Specifications

<b>Groove Depth:</b>	0.250 Inches Nominal
<b>Groove Width:</b>	0.275 Inches Nominal
<b>Outside Diameter:</b>	4.255 Inches Nominal
<b>Overall Length:</b>	0.625 Inches Nominal
<b>Bore Diameter:</b>	0.3145 Inches Nominal
<b>Bore Length:</b>	0.625 Inches Nominal
<b>Groove Radius:</b>	0.097 Inches Nominal
<b>Material And Location:</b>	Fabric Overall
<b>Face Width:</b>	0.422 Inches Nominal
<b>Design Form:</b>	Plain
<b>Bore Type:</b>	Straight
<b>Bearings:</b>	Included
<b>Groove Quantity:</b>	1
<b>Counterbore Feature:</b>	Not Included
<b>Bearing Quantity:</b>	1
<b>Keying Facility:</b>	Not Included
<b>Split Hub Feature:</b>	Not Included
<b>Lightening Hole:</b>	Not Included
<b>Integral Cooling Vane:</b>	Not Included
<b>Groove Shape:</b>	U
<b>Bore Feature:</b>	Included
<b>Bearing Type:</b>	Ball
<b>Hub End Outside Diameter And Location:</b>	0.515 Inches Nominal Both Ends
<b>Distance From Outside Flange/rim To Hub End And Location:</b>	0.101 Inches Nominal Both Ends
<b>Special Features:</b>	If Requisition Is Not For Fms, Overseas Shipments, Naval Vessels, Priority Codes 1,2, Or 3, Or Individual Requisitions Over 25000 Dollars, Then Direct Vendor Delivery Nsn 3020-01-391-0853 Is Available At 15.7% Discount.
<b>Style Designator:</b>	Plain

## How to Order

Order this groove pulley from our inventory online by visiting <https://military-fasteners.com/pulleys/groove+pulleys/MS20220-3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.