

P/N MS20220A1

Description

Flight control metallic sleeve, use with cable size: 1/8", 5/32", 3/16", bore diameter: 5/16", groove diameter: 5", MS20220 series pulley

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model: MS20220A1

Minimum Qty (MOQ):

NSN: 3020-00-528-0511

Schedule B: 7312.90.0000

ECCN: EAR99

National Motor Freight: 127320, Pulleys / Sheaves, noi







^{*} See page 2 for technical characteristics

P/N MS20220A1 Specifications

Groove Depth:	0.250 Inches Nominal
Groove Width:	0.275 Inches Nominal
Outside Diameter:	1.755 Inches Nominal
Overall Length:	0.625 Inches Nominal
Bore Diameter:	0.314 Inches Nominal
Bore Length:	0.625 Inches Nominal
Groove Radius:	0.097 Inches Nominal
Material And Location:	Aluminum Alloy, Qq-a-268, T4-canceled Body Err-100 Err-100
Material And Location:	Steel Hub Err-100 Err-100
Material And Location:	Aluminum Alloy, Qq-a-268, T4-canceled Body
Material And Location:	Steel Hub
Face Width:	0.422 Inches Nominal
Design Form:	Webbed
Bore Type:	Straight
Bearings:	Included
Groove Quantity:	1
Counterbore Feature:	Not Included
Bearing Quantity:	1
Keying Facility:	Not Included
Split Hub Feature:	Not Included
Web/spoke Relationship To Face Centerline:	Not Offset
Lightening Hole:	Not Included
Integral Cooling Vane:	Not Included
Groove Shape:	U
Bore Feature:	Included
Bearing Type:	Ball
Hub End Outside Diameter And Location:	0.465 Inches Nominal Both Ends
Distance From Outside Flange/rim To Hub End And Location:	0.101 Inches Nominal Both Ends
Surface Treatment:	Anodize
Style Designator:	Webbed Or Spoked
Surface Treatment:	Anodized

How to Order Order this groove pulley from our inventory online by visiting https://military-fasteners.com/pulleys/groove+pulleys/MS20220A1 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out here to complete your order.