

**Description**

tube outer dia: 1/8", tube thread: 5/16-24, pipe thread: 1/8", aluminum alloy - pipe to tube - pipe thread on side "

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS208252D
Minimum Qty (MOQ):	1
NSN:	4730-00-640-0829
National Motor Freight:	051400, Pipe Fittings Aluminum

NO IMAGE  
AVAILABLE

## P/N MS20825-2D Specifications

<b>Thread Class:</b>	3a 2nd End
<b>Thread Class:</b>	3a 1st End
<b>Connection Style:</b>	Flared (tube) 1st End
<b>Connection Style:</b>	Flared (tube) 2nd End
<b>Connection Style:</b>	Plain (pipe) 3rd End
<b>Leg Length:</b>	0.688 Inches Nominal 3rd End
<b>Leg Length:</b>	0.734 Inches Nominal 1st End
<b>Connection Type:</b>	Threaded External Pipe 3rd End
<b>Connection Type:</b>	Threaded External Tube 1st End
<b>Connection Type:</b>	Threaded External Tube 2nd End
<b>Nominal Thread Size:</b>	0.125 Inches 3rd End
<b>Nominal Thread Size:</b>	0.312 Inches 1st End
<b>Nominal Thread Size:</b>	0.312 Inches 2nd End
<b>Seat Angle:</b>	37.0 Degrees 1st End
<b>Seat Angle:</b>	37.0 Degrees 2nd End
<b>Nominal Outside Diameter Tube Accommodated:</b>	0.125 Inches 2nd End
<b>Nominal Outside Diameter Tube Accommodated:</b>	0.125 Inches 1st End
<b>Material:</b>	Aluminum Alloy Overall
<b>Surface Treatment:</b>	Anodize Inside
<b>Surface Treatment:</b>	Anodize Outside
<b>Surface Treatment Document And Classification:</b>	Mil-a-8625 Mil Spec Single Treatment Response Inside
<b>Surface Treatment Document And Classification:</b>	Mil-a-8625 Mil Spec Single Treatment Response Outside
<b>Thread Series Designator:</b>	Anpt 3rd End
<b>Thread Series Designator:</b>	Unf 1st End
<b>Thread Series Designator:</b>	Unf 2nd End

## How to Order

Order this pipe to tube tee from our inventory online by visiting <https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20825-2D> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.