

## P/N MS20825-6

### **Description**

MS20825-6 Fitting Pipe to Tube Tee

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: MS208256

Minimum Qty (MOQ):

NSN: 4730-00-277-5104

ECCN: EAR99

National Motor Freight: 052190, Pipe,tubing,or Pipe Or Tubing Fitti



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS20825-6 Specifications

Thread Class:	3a 2nd End
Thread Class:	3a 1st End
Connection Style:	Flared (tube) 1st End
Connection Style:	Flared (tube) 2nd End
Connection Style:	Plain (pipe) 3rd End
Leg Length:	1.031 Inches Nominal 1st End
Leg Length:	1.062 Inches Nominal 3rd End
Leg Length:	1.531 Inches Nominal 2nd End
Connection Type:	Threaded External Pipe 3rd End
Connection Type:	Threaded External Tube 1st End
Connection Type:	Threaded External Tube 2nd End
Nominal Thread Size:	0.250 Inches 3rd End
Nominal Thread Size:	0.562 Inches 1st End
Nominal Thread Size:	0.562 Inches 2nd End
Seat Angle:	37.0 Degrees 1st End
Seat Angle:	37.0 Degrees 2nd End
Nominal Outside Diameter Tube Accommodated:	0.375 Inches 2nd End
Nominal Outside Diameter Tube Accommodated:	0.375 Inches 1st End
Special Features:	End Item: Grumman A-10 Aircraft
Material:	Steel Comp 1137 Overall Or Steel Comp 4130 Overall
Material Document And Classification:	66 Fed Std All Material Responses Overall
Surface Treatment:	Cadmium Inside
Surface Treatment:	Cadmium Outside
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 2 Fed Spec Single Treatment Response Inside
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 2 Fed Spec Single Treatment Response Outside
Thread Series Designator:	Nptf 3rd End
Thread Series Designator:	Unf 1st End
Thread Series Designator:	Unf 2nd End

## **How to Order**

