

P/N MS20825-8D

Description

tube outer dia: 1/2", tube thread: 3/4-16, pipe thread: 3/8", aluminum alloy - pipe to tube - pipe thread on side "

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	MS208258D
Minimum Qty (MOQ):	1
NSN:	4730-00-279-0454
National Motor Freight:	051400, Pipe Fittings Aluminum



^{*} See page 2 for technical characteristics

P/N MS20825-8D Specifications

Thread Class:	3a 2nd End
Thread Class:	3a 1st End
Connection Style:	Flared (tube) 1st End
Connection Style:	Flared (tube) 2nd End
Connection Style:	Inverted Flare (pipe) 3rd End
Leg Length:	1.188 Inches Nominal 3rd End
Leg Length:	1.219 Inches Minimum 1st End And 1.250 Inches Maximum 1st End
Leg Length:	1.250 Inches Maximum 2nd End
Connection Type:	Threaded External Pipe 3rd End
Connection Type:	Threaded External Tube 1st End
Connection Type:	Threaded External Tube 2nd End
Nominal Thread Size:	0.375 Inches 3rd End
Nominal Thread Size:	0.750 Inches 1st End
Nominal Thread Size:	0.750 Inches 2nd End
Seat Angle:	30.0 Degrees 3rd End
Seat Angle:	37.0 Degrees 1st End
Seat Angle:	37.0 Degrees 2nd End
Nominal Outside Diameter Tube Accommodated:	0.500 Inches 1st End
Nominal Outside Diameter Tube Accommodated:	0.500 Inches 2nd End
Material:	Aluminum Alloy 2014 Overall Or Aluminum Alloy 2024 Overall
Material Document And Classification:	Qq-a-225/4,t6 Fed Spec 1st Material Response Overall Or Qq-a225/6,t6 Fed Spec 2nd Material Response Overall
Surface Treatment:	Anodize Overall
Surface Treatment Document And Classification:	Mil-a-8625 Mil Spec Single Treatment Response Inside
Surface Treatment Document And Classification:	Mil-a-8625 Mil Spec Single Treatment Response Outside
Thread Series Designator:	Anpt 3rd End
Thread Series Designator:	Unf 1st End
Thread Series Designator:	Unf 2nd End

How to Order

