

# P/N MS20826-2D

## **Description**

outer diameter: 1/8", tube thread: 5/16-24, pipe thread: 1/8", aluminum alloy, pipe to tube, pipe thread on run

\* Manufacturer certifications are shipped with your order FREE of charge

# Order this part online

### **Additional Information**

SKU / Model: MS208262D

Minimum Qty (MOQ):

NSN: 4730-00-497-1655

ECCN: 9A991

National Motor Freight: 051400, Pipe Fittings Aluminum









<sup>\*</sup> See page 2 for technical characteristics

# P/N MS20826-2D Specifications

Thread Class:	3a 3rd End
Thread Class:	3a 1st End
Maximum Operating Temp:	-65.0 Deg Fahrenheit 1st Response
Maximum Operating Temp:	225.0 Deg Fahrenheit Single Response
End Item Identification:	Acf Support Equipment, B-1 Aircraft
Connection Style:	Flared (tube) 1st End
Connection Style:	Flared (tube) 3rd End
Connection Style:	Plain (pipe) 2nd End
Leg Length:	0.688 Inches Nominal 2nd End
Leg Length:	0.734 Inches Nominal 3rd End
Leg Length:	0.734 Inches Nominal 1st End
Connection Type:	Threaded External Pipe 2nd End
Connection Type:	Threaded External Tube 1st End
Connection Type:	Threaded External Tube 3rd End
Maximum Operating Pressure:	3000.0 Pounds Per Square Inch Single Response
Nominal Thread Size:	0.125 Inches 2nd End
Nominal Thread Size:	0.312 Inches 1st End
Nominal Thread Size:	0.312 Inches 3rd End
Seat Angle:	37.0 Degrees 1st End
Seat Angle:	37.0 Degrees 3rd End
Nominal Outside Diameter Tube Accommodated:	0.125 Inches 3rd End
Nominal Outside Diameter Tube Accommodated:	0.125 Inches 1st End
Material:	Aluminum Alloy 2014 Overall Or Aluminum Alloy 7075 Overall
Material Document And Classification:	Qq-a-367,t6 Fed Spec 1st Material Response Overall Or Qq-a-367,t73 Fed Spec 2nd Material Response Overall
Media For Which Designed:	Hydraulic Fluid 1st Response
Media For Which Designed:	Oxygen, Gaseous 2nd Response
Surface Treatment:	Anodize Overall
Surface Treatment Document And Classification:	Mil-a-8625,ty 2,cl 2 Mil Spec Single Treatment Response Overall
Thread Series Designator:	Anpt 2nd End
Thread Series Designator:	Unjf 3rd End
Thread Series Designator:	Unjf 1st End

# How to Order Order this pipe to tube tee from our inventory online by visiting <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the quantity you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the your cart you can check out <a href="https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D">https://military-fasteners.com/fittings/pipe+to+tube+tees/MS20826-2D</a> and selecting the your cart your