

Description

tube outer dia: 3/16", tube thread: 3/8-24, pipe thread: 1/8", aluminum alloy - pipe to tube, pipe thread on run

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|--------------------------------|
| SKU / Model: | MS208263D |
| Minimum Qty (MOQ): | 1 |
| NSN: | 4730-00-277-5043 |
| National Motor Freight: | 051400, Pipe Fittings Aluminum |

NO IMAGE
AVAILABLE

P/N MS20826-3D Specifications

| | |
|---|--|
| Thread Class: | 3a 3rd End |
| Thread Class: | 3a 1st End |
| Connection Style: | Flared (tube) 1st End |
| Connection Style: | Flared (tube) 3rd End |
| Connection Style: | Plain (pipe) 2nd End |
| Leg Length: | 0.688 Inches Minimum 2nd End And 0.735 Inches Maximum 2nd End |
| Leg Length: | 0.797 Inches Minimum 1st End And 0.844 Inches Maximum 1st End |
| Leg Length: | 0.797 Inches Minimum 3rd End And 0.844 Inches Maximum 3rd End |
| Connection Type: | Threaded External Pipe 2nd End |
| Connection Type: | Threaded External Tube 1st End |
| Connection Type: | Threaded External Tube 3rd End |
| Maximum Operating Pressure: | 3000.0 Pounds Per Square Inch Single Response |
| Nominal Thread Size: | 0.125 Inches 2nd End |
| Nominal Thread Size: | 0.375 Inches 1st End |
| Nominal Thread Size: | 0.375 Inches 3rd End |
| Seat Angle: | 37.0 Degrees 1st End |
| Seat Angle: | 37.0 Degrees 3rd End |
| Nominal Outside Diameter Tube Accommodated: | 0.188 Inches 1st End |
| Nominal Outside Diameter Tube Accommodated: | 0.188 Inches 3rd End |
| Material: | Aluminum Alloy 2014 Overall |
| Material Document And Classification: | Qq-a-367,t6 Fed Spec Single Material Response Overall |
| Media For Which Designed: | Fluid Single Response |
| Surface Treatment: | Anodize Overall |
| Surface Treatment Document And Classification: | Mil-a-8625,type 2,class 2 Mil Spec Single Treatment Response Overall |
| Thread Series Designator: | Anpt 2nd End |
| Thread Series Designator: | Unjf 3rd End |
| Thread Series Designator: | Unjf 1st End |
| Specification/standard Data: | 96906-ms20826 Government Standard |

How to Order

Order this pipe to tube tee from our inventory online by visiting <https://military-fasteners.com/fittings/pipe-to-tube-tees/MS20826-3D> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.