

P/N MS21045-5E

Description

Thread Size: 1/4", Nut Height: 3/8", Head Width: 1/2

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

| SKU / Model: | MS210455E |
|--------------------|------------------|
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-01-416-3005 |
| ECCN: | EAR99 |



^{*} See page 2 for technical characteristics

P/N MS21045-5E Specifications

| Thread Class: | 3b |
|--|---|
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Lubrication: | Soluble Lubricant |
| Nut Style: | Hexagon |
| Nut Height: | 0.271 Inches Minimum And 0.360 Inches Maximum |
| Width Across Flats: | 0.492 Inches Minimum And 0.502 Inches Maximum |
| Temp Rating: | 450.0 Deg Fahrenheit Nominal |
| Thread Series: | Unjf |
| Thread Quantity Per Inch: | 24 |
| Nominal Thread Size: | 0.312 Inches |
| Countersink Angle: | 88.0 Degrees Nominal Nut |
| Bearing Surface Type: | Chamfered Or Washer Faced |
| Special Features: | Elliptical Lock |
| Material: | Steel Overall |
| Surface Treatment: | Cadmium Overall And Chromate Overall |
| Surface Treatment Document And Classification: | Qq-p-416, Ty2, Cl2 Fed Spec Single Treatment Response Overall |

How to Order

Order this self-locking hexagon nut from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+hexagon+nuts/MS21045-5E and selecting the quantity you want then click "add to cart". Once items are in your cart you can check outhere to complete your order.