

**Description**

Thread Size: 1/4", Nut Height: 3/8", Head Width: 1/2

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

|                    |                  |
|--------------------|------------------|
| SKU / Model:       | MS210455E        |
| Minimum Qty (MOQ): | 5                |
| NSN:               | 5310-01-416-3005 |
| ECCN:              | EAR99            |

NO IMAGE  
AVAILABLE

## P/N MS21045-5E Specifications

|   |   |
|---|---|
| <b>Thread Class:</b>                                  | 3b  |
| <b>Thread Direction:</b>                              | Right-hand  |
| <b>Locking Feature:</b>                               | Prevailing Torque All Metal Design                            |
| <b>Lubrication:</b>                                   | Soluble Lubricant   |
| <b>Nut Style:</b>                                     | Hexagon   |
| <b>Nut Height:</b>                                    | 0.271 Inches Minimum And 0.360 Inches Maximum                 |
| <b>Width Across Flats:</b>                            | 0.492 Inches Minimum And 0.502 Inches Maximum                 |
| <b>Temp Rating:</b>                                   | 450.0 Deg Fahrenheit Nominal                                  |
| <b>Thread Series:</b>                                 | Unjf  |
| <b>Thread Quantity Per Inch:</b>                      | 24  |
| <b>Nominal Thread Size:</b>                           | 0.312 Inches  |
| <b>Countersink Angle:</b>                             | 88.0 Degrees Nominal Nut                                      |
| <b>Bearing Surface Type:</b>                          | Chamfered Or Washer Faced                                     |
| <b>Special Features:</b>                              | Elliptical Lock   |
| <b>Material:</b>                                      | Steel Overall   |
| <b>Surface Treatment:</b>                             | Cadmium Overall And Chromate Overall                          |
| <b>Surface Treatment Document And Classification:</b> | Qq-p-416, Ty2, Cl2 Fed Spec Single Treatment Response Overall |

## How to Order

Order this self-locking hexagon nut from our inventory online by visiting [https://military-fasteners.com/nuts/self\\_locking+hexagon+nuts/MS21045-5E](https://military-fasteners.com/nuts/self_locking+hexagon+nuts/MS21045-5E) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.