

Description

Thread: 5/16-24, two lug floating, reduced rivet spacing low height, cadmium plated carbon steel, dry film lube, without eyelets, MS21075 series nut

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	MS21075L5N
Minimum Qty (MOQ):	10
NSN:	5310-01-335-7089
Schedule B:	7318.16.0000
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



* See page 2 for technical characteristics

P/N MS21075L5N Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.317 Inches Nominal Nut
Mounting Hole Diameter:	0.117 Inches Minimum
Nut Style:	Plate (floating)
Nut Length:	1.010 Inches Maximum
Nut Height:	0.718 Inches Maximum
Plate Thickness:	0.032 Inches Minimum And 0.105 Inches Maximum
Plate Width:	0.412 Inches Minimum And 0.581 Inches Maximum
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.182 Inches Nominal
Center To Center Distance Between Mounting Holes Along Length:	0.364 Inches Maximum
Temp Rating:	450.0 Deg Fahrenheit Nominal
Thread Series:	Unjf
Thread Quantity Per Inch:	24
Hardness Rating:	49.0 Rockwell C Maximum
Nominal Thread Size:	0.312 Inches
Material:	Steel Comp 1035 Overall Or Steel Comp 4340 Overall Or Steel Comp 4130 Overall Or Steel Comp 1040 Overall Or Steel Comp 1042 Overall
Material Document And Classification:	Ams5080 Assn Std 1st Material Response Overall Or Ams6359 Assn Std 2nd Material Response Overall Or Ams6350 Assn Std 3rd Material Response Overall
Surface Treatment:	Cadmium Overall And Chromate Overall
Surface Treatment Document And Classification:	Qq-p-416 Fed Spec Single Treatment Response Overall

How to Order

Order this self-locking nutplate from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+nutplates/MS21075L5N and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.