

**Description**

Thread Size: 1/2", Length: 3-1/8", MS21151 series bearing

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[REP5M7FS464](#)

SKU / Model:	MS2115111
Minimum Qty (MOQ):	1
NSN:	3110-00-079-9960
ECCN:	EAR99
National Motor Freight:	114820, Bearings / Bushings Noi Ball / Roller



# P/N MS21151-11 Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Shank Diameter:	0.4375 Inches Nominal
Shank Style:	Externally Threaded
Overall Length:	3.0630 Inches Nominal
Bore Diameter:	0.3122 Inches Minimum And 0.3125 Inches Maximum
Overall Outside Diameter:	1.2400 Inches Minimum And 1.2510 Inches Maximum
Lubrication Material:	Grease
Shank Thread Length:	1.5630 Inches Nominal
Outer Ring Width:	0.6500 Inches Nominal
Inner Ring Width:	0.8700 Inches Nominal
Length From Bore Center To Shank End:	2.4380 Inches Nominal
Seal Quantity:	2
Bearing Seal Type:	Contact
Alignment Type:	Self-aligning
Self-alignment Location:	Internal
Thread Quantity Per Inch:	20
Nominal Thread Size:	0.438 Inches
Self-alignment Angle:	10.00 Degrees Nominal
Special Features:	0.0004 In. Max Radial Clearance
Lubrication Material Document And Classification:	Mil-prf-81322 Mil Spec Single Material Response
Material:	Rubber Synthetic Seal
Material:	Steel Ball
Material:	Steel Inner Ring
Material:	Steel Outer Ring
Material:	Steel Shaft
Surface Treatment:	Cadmium All External/exposed Metal Surfaces
Style Designator:	Double Row, Staggered, Ball
Thread Series Designator:	Unf

## How to Order

Order this rod end bearing from our inventory online by visiting <https://military-fasteners.com/bearings/rod+end+bearings/MS21151-11> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.