

**Description**

Thread Size: 1/2", Length: 3-1/8", MS21151 series bearing

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information****Alternate Part Numbers**[REP5M7FS464](#)

SKU / Model:	MS2115111
Minimum Qty (MOQ):	1
NSN:	3110-00-079-9960
ECCN:	EAR99
National Motor Freight:	114820, Bearings / Bushings Noi Ball / Roller



# P/N MS21151-11 Specifications

<b>Thread Class:</b>	3a
<b>Thread Direction:</b>	Right-hand
<b>Shank Diameter:</b>	0.4375 Inches Nominal
<b>Shank Style:</b>	Externally Threaded
<b>Overall Length:</b>	3.0630 Inches Nominal
<b>Bore Diameter:</b>	0.3122 Inches Minimum And 0.3125 Inches Maximum
<b>Overall Outside Diameter:</b>	1.2400 Inches Minimum And 1.2510 Inches Maximum
<b>Lubrication Material:</b>	Grease
<b>Shank Thread Length:</b>	1.5630 Inches Nominal
<b>Outer Ring Width:</b>	0.6500 Inches Nominal
<b>Inner Ring Width:</b>	0.8700 Inches Nominal
<b>Length From Bore Center To Shank End:</b>	2.4380 Inches Nominal
<b>Seal Quantity:</b>	2
<b>Bearing Seal Type:</b>	Contact
<b>Alignment Type:</b>	Self-aligning
<b>Self-alignment Location:</b>	Internal
<b>Thread Quantity Per Inch:</b>	20
<b>Nominal Thread Size:</b>	0.438 Inches
<b>Self-alignment Angle:</b>	10.00 Degrees Nominal
<b>Special Features:</b>	0.0004 In. Max Radial Clearance
<b>Lubrication Material Document And Classification:</b>	Mil-prf-81322 Mil Spec Single Material Response
<b>Material:</b>	Rubber Synthetic Seal
<b>Material:</b>	Steel Ball
<b>Material:</b>	Steel Inner Ring
<b>Material:</b>	Steel Outer Ring
<b>Material:</b>	Steel Shaft
<b>Surface Treatment:</b>	Cadmium All External/exposed Metal Surfaces
<b>Style Designator:</b>	Double Row, Staggered, Ball
<b>Thread Series Designator:</b>	Unf

## How to Order

Order this rod end bearing from our inventory online by visiting <https://military-fasteners.com/bearings/rod+end+bearings/MS21151-11> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.