



★ FASTENERS

[Military-Fasteners.com](http://Military-Fasteners.com)

**P/N MS21153-3**

## Description

double row, rod end, internal thread, self aligning, MS21153 series bearing

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

### Alternate Part Numbers

[REP3F4FS464](#)

SKU / Model:	MS211533
Minimum Qty (MOQ):	1
NSN:	3110-00-232-3216
Schedule B:	8482.10.1080
ECCN:	EAR99
National Motor Freight:	114820, Bearings / Bushings Noi Ball / Roller



\* See page 2 for technical characteristics

# P/N MS21153-3 Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Shank Diameter:	0.3650 Inches Minimum And 0.3850 Inches Maximum
Shank Style:	Internally Threaded W/bead
Overall Length:	1.7455 Inches Minimum And 1.7855 Inches Maximum
Bore Diameter:	0.1897 Inches Minimum
Overall Outside Diameter:	0.7710 Inches Minimum And 0.7910 Inches Maximum
Lubrication Material:	Grease
Outer Ring Width:	0.3180 Inches Minimum And 0.3380 Inches Maximum
Inner Ring Width:	0.4950 Inches Minimum And 0.5000 Inches Maximum
Length From Bore Center To Shank End:	1.3650 Inches Minimum And 1.3850 Inches Maximum
Seal Quantity:	2
Bearing Seal Type:	Contact
Alignment Type:	Self-aligning
Self-alignment Location:	Internal
Thread Quantity Per Inch:	28
Nominal Thread Size:	0.250 Inches
Lubrication Material Document And Classification:	Mil-g-81322 Mil Spec Single Material Response
Material Document And Classification:	Ams 3652 Assn Std Single Material Response Seal Or Ams3666 Assn Std Single Material Response Seal
Material Document And Classification:	Mil-s-6758 Mil Spec Single Material Response Outer Ring
Material Document And Classification:	Mil-s-6758 Mil Spec Single Material Response Rod End Body
Material Document And Classification:	Mil-s-7420 Mil Spec Single Material Response Ball
Material Document And Classification:	Mil-s-7420 Mil Spec Single Material Response Inner Ring
Surface Treatment:	Cadmium Outer Ring
Surface Treatment:	Cadmium Rod End Body
Surface Treatment Document And Classification:	Qq-p-416,type 1,class 2 Fed Spec Single Treatment Response Outer Ring
Surface Treatment Document And Classification:	Qq-p-416,type 1,class 2 Fed Spec Single Treatment Response Rod End Body
Style Designator:	Double Row, Staggered, Ball
Thread Series Designator:	Unjf

## How to Order

Order this rod end bearing from our inventory online by visiting <https://military-fasteners.com/bearings/rod+end+bearings/MS21153-3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.