

## P/N MS21250-07022

### **Description**

Fastener Length: 2-7/64", Thread: 7/16-20, Thread Length: 23/32

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model: MS2125007022
Minimum Qty (MOQ): 2

NSN: 5306-00-958-8618

Schedule B: 7318.15.8085

ECCN: EAR99

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS21250-07022 Specifications

| Thread Class:                                  | 3a  |
|--|---|
|  |   |
| Thread Direction:                              | Right-hand  |
| Thread Length:                                 | 0.721 Inches Minimum  |
| Fastener Length:                               | 2.116 Inches Nominal  |
| Head Style:                                    | Double Hexagon W/hole   |
| Head Height:                                   | 0.435 Inches Nominal  |
| Width Between Flats:                           | 0.492 Inches Minimum And 0.502 Inches Maximum   |
| Extended Washer Diameter:                      | 0.740 Inches Minimum And 0.750 Inches Maximum   |
| Extended Washer Thickness:                     | 0.099 Inches Nominal  |
| Grip Diameter:                                 | 0.4360 Inches Minimum And 0.4370 Inches Maximum   |
| Nominal Thread Diameter:                       | 0.438 Inches  |
| Grip Length:                                   | 1.375 Inches Nominal  |
| Thread Quantity Per Inch:                      | 20  |
| Minimum Tensile Strength:                      | 180000 Pounds Per Square Inch   |
| Hardness Rating:                               | 39.0 Rockwell C Minimum Overall And 43.0 Rockwell C Maximum Overall   |
| Material:                                      | Steel Comp E4340 Overall Or Steel Comp 8740 Overall Or Steel Comp 6150 Overall Or Steel Comp 4140 Overall                         |
| Material Document And                          | Mil-s-5000 Mil Spec 1st Material Response Overall Or Mil-s-6049 Mil Spec 2nd Material Response Overall Or Mil-s-8503 Mil Spec 3rd |
| Classification:                                | Material Response Overall Or Mil-s-5626 Mil Spec 4th Material Response Overall  |
| Surface Treatment:                             | Cadmium Overall   |
| Surface Treatment Document And Classification: | Qq-p-416 Type 2 Class 3 Fed Spec Single Treatment Response Overall  |
| Thread Series Designator:                      | Unf   |

## **How to Order**

Order this shear bolt from our inventory online by visiting <a href="https://military-fasteners.com/bolts/shear+bolts/MS21250-07022">https://military-fasteners.com/bolts/shear+bolts/MS21250-07022</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/shear+bolts/MS21250-07022">https://military-fasteners.com/bolts/shear+bolts/MS21250-07022</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/shear+bolts/MS21250-07022">https://military-fasteners.com/bolts/shear+bolts/MS21250-07022</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/shear+bolts/mS21250-07022">https://military-fasteners.com/bolts/shear+bolts/mS21250-07022</a> and selecting the quantity you want then