

Description

Fastener Length: 2-15/32", Hole Diameter: 1/16", Thread: 3/8-24, Thread Length: 47/64"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|--------------------|------------------|
| SKU / Model: | MS21296H06028 |
| Minimum Qty (MOQ): | 1 EA |
| NSN: | 5306-01-334-7909 |
| Schedule B: | 7318.15.8085 |
| ECCN: | 9A991 |

NO IMAGE
AVAILABLE

P/N MS21296H06028 Specifications

| | |
|---|--|
| Thread Class: | 3a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.725 Inches Nominal |
| Fastener Length: | 2.469 Inches Minimum And 2.499 Inches Maximum |
| Head Style: | Spline Extended Washer |
| Head Height: | 0.327 Inches Minimum And 0.347 Inches Maximum |
| Extended Washer Diameter: | 0.696 Inches Nominal |
| Extended Washer Thickness: | 0.044 Inches Minimum And 0.064 Inches Maximum |
| Hole Diameter: | 0.060 Inches Minimum And 0.070 Inches Maximum |
| Grip Diameter: | 0.3735 Inches Minimum And 0.3745 Inches Maximum |
| Head Minor Diameter: | 0.3735 Inches Minimum And 0.3745 Inches Maximum |
| End Item Identification: | Pacer Dawn |
| Nominal Thread Diameter: | 0.3750 Inches |
| Grip Length: | 1.740 Inches Minimum And 1.760 Inches Maximum |
| Hole Quantity: | 4 |
| Hole Type: | Drilled |
| Thread Quantity Per Inch: | 24 |
| Hardness Rating: | 51.0 Rockwell C Minimum Overall And 54.0 Rockwell C Maximum Overall |
| Hole Configuration Style: | Spline |
| Surface Finish: | 32.0 Microinches Bearing Surface Of Head |
| Surface Finish: | 32.0 Microinches Grip |
| Special Features: | Hole Drilled In Top Center Of Head,0.230/0.270 In. Dia X 0.110 In. Nomdeep |
| Material: | Steel Overall |
| Material Document And Classification: | Ams 6487 Assn Std Single Material Response Overall |
| Surface Treatment: | Cadmium Overall |
| Surface Treatment Document And Classification: | Mil-c-8837,type li,class 2 Mil Spec Single Treatment Response Overall |
| Thread Series Designator: | Unjf |

How to Order

Order this bolt from our inventory online by visiting <https://military-fasteners.com/bolts/shear+bolts/MS21296H06028> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.