

**Description**

tube outside 1", plug hex head, flareless, carbon steel, MS21913 series fitting


\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[MS21913V16P](#)

SKU / Model:	MS2191316
Minimum Qty (MOQ):	1
NSN:	4730-00-289-8626
Schedule B:	7307.92.9000
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



\* See page 2 for technical characteristics

## P/N MS21913-16 Specifications

<b>Thread Class:</b>	3a External
<b>Thread Direction:</b>	Right-hand External
<b>Head Height:</b>	0.375 Inches Nominal
<b>Overall Length:</b>	1.062 Inches Nominal
<b>End Item Identification:</b>	Grumman Aircraft Model A10
<b>Connection Style:</b>	Flareless
<b>Thread Quantity Per Inch:</b>	12 External
<b>Nominal Thread Size:</b>	1.312 Inches External
<b>Seat Angle:</b>	12.0 Degrees
<b>Material:</b>	Steel Comp 1137 Overall Or Steel Comp 1141 Overall Or Steel Comp 4130 Overall
<b>Material Document And Classification:</b>	Qq-s-637 Fed Spec Single Material Response Overall Or Mil-s-6758 Mil Spec Single Material Response Overall
<b>Surface Treatment:</b>	Cadmium Overall
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Overall
<b>Style Designator:</b>	Plug, Tube Fitting Flareless (note: Drilled Hole Is Optional Should Not Be Considered As A Separating Characteristic)
<b>Style Designator:</b>	Plug, Tube Fitting Flareless (note: Drilled Hole Is Optional Should Not Be Considered As A Separating Characteristic)
<b>Thread Series Designator:</b>	Unj External
<b>Specification/standard Data:</b>	96906-ms21913 Government Standard

## How to Order

Order this threaded tube fitting plug from our inventory online by visiting <https://military-fasteners.com/fittings/threaded+tube+fitting+plugs/MS21913-16> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.