

## P/N MS21919DG25

### **Description**

Diameter: 13/64", rubber synthetic cushion

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model: MS21919DG25

Minimum Qty (MOQ): 10 EA

NSN: 5340-00-205-6334

Schedule B: 7616.10.9090

ECCN: 9A991

National Motor Freight: 013120, Aluminum Article Noi Sub 6



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS21919DG25 Specifications

Tongue Hole Type:	Round, Unthreaded
Overall Width:	0.500 Inches Nominal
Diameter:	0.204 Inches Nominal
Material Thickness:	0.050 Inches Nominal
Center To Center Distance Between Loop And Mounting Hole:	1.203 Inches Nominal
Distance From Loop Center To Tongue End:	1.421 Inches Nominal
Loop Inside Diameter:	1.563 Inches Nominal
Material:	Aluminum Alloy 2024 Band
Material:	Rubber Synthetic Cushion
Material Document And Classification:	Qq-a-250/5 Fed Spec Single Material Response Band
Style Designator:	Offset Mount
Nondefinitive Spec/std Data:	4 Type And A Class

# **How to Order**

Order this clamp from our inventory online by visiting <a href="https://military-fasteners.com/clamps/loop+clamps/MS21919DG25">https://military-fasteners.com/clamps/loop+clamps/MS21919DG25</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/clamps/loop+clamps/MS21919DG25">https://military-fasteners.com/clamps/loop+clamps/MS21919DG25</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/clamps/loop+clamps/MS21919DG25">https://military-fasteners.com/clamps/loop+clamps/MS21919DG25</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/clamps/loop+clamps/mS21919DG25">https://military-fasteners.com/clamps/loop+clamps/mS21919DG25</a> and selecting the quantity you want then