

P/N MS21919WH18

Description

Diameter: 1-1/8", loop type, cushioned, steel with silicone cushion

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model: MS21919WH18

Minimum Qty (MOQ): 10

NSN: 5340-00-597-9390

ECCN: EAR99

National Motor Freight: 061200, Cable Clamps / Joints Noi









P/N MS21919WH18 Specifications

Tongue Hole Type:	Round, Unthreaded
Cushioning Environmental Protection:	Heat
Overall Width:	0.500 Inches Nominal
Diameter:	0.204 Inches Nominal
Material Thickness:	0.0285 Inches Minimum And 0.0355 Inches Maximum
Center To Center Distance Between Loop And Mounting Hole:	0.951 Inches Nominal
Distance From Loop Center To Tongue End:	1.169 Inches Nominal
Loop Inside Diameter:	1.110 Inches Minimum And 1.140 Inches Maximum
Material:	Rubber Synthetic Cushion
Material:	Steel Comp 1017 Band
Material Document And Classification:	Qq-s-636,cond 4 Fed Spec Single Material Response Band
Surface Treatment:	Cadmium Band
Style Designator:	Offset Mount
Nondefinitive Spec/std Data:	3 Type And A Class

How to Order

Order this loop clamp from our inventory online by visiting https://military-fasteners.com/clamps/loop+clamps/MS21919WH18 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/clamps/loop+clamps/MS21919WH18 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/clamps/loop+clamps/MS21919WH18 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/clamps/ms21919WH18 and selecting the quantity you want https://military-fasteners.com/clamps/ms21919WH18 and selecting the quantity you want https://military-fasteners.com/clamps/ms21919WH18 and selecting the quantity you want https://military-fasteners.com/clamps/ms21919WH18 and selecting the property of the selection of the property of t