

P/N MS24523-23

Description

Thread Size: 1/2", Length: 1-1/4", single pole, double throw, screw terminals

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

Alternate Part Numbers

1TL1-3

SKU / Model: MS2452323

Minimum Qty (MOQ):

NSN: 5930-00-683-1629

ECCN: EAR99

National Motor Freight: 061300, Circuit Breaker / Switch Noi







^{*} See page 2 for technical characteristics

P/N MS24523-23 Specifications

Thread Class:	2a
Body Style:	Bushing Mount
	Bushing Mount
Hazardous Locations/environmental Protection:	Vaportight
Overall Length:	1.270 Inches Maximum
Bushing Length:	0.455 Inches Minimum And 0.485 Inches Maximum
Body Length:	1.270 Inches Maximum
Body Width:	0.635 Inches Maximum
Body Height:	0.890 Inches Minimum And 0.930 Inches Maximum
Actuator Style:	Round
Actuator Diameter:	0.237 Inches Minimum And 0.243 Inches Maximum
Actuator Height:	0.665 Inches Minimum And 0.695 Inches Maximum
Actuator Position-action Relationship:	Up Position Maintained And Down Position Maintained
Maximum Voltage Rating In Volts:	115.0 Ac And 28.0 Dc
lii End Item Identification:	Mrap - M-atv Socom
Inclosure Type:	Fully Inclosed
Mounting Method:	Threaded Bushing
Features Provided:	Actuator Seal
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.469 Inches
Nonpile-up Contact Arrangement:	1 Pole, Double Throw, Both Positions Maintained Single Switch Unit
Contact Load Current Rating At Maximum Rated Voltage:	20.000 Amperes Resistive Dc And 15.000 Amperes Inductive Dc And 5.000 Amperes Lamp Dc And 15.000 Amperes Resistive Ac And 10.000 Amperes Inductive Ac And 3.000 Amperes Lamp Ac
Test Data Document:	81349-mil-s-3950 Specification (includes Engineering Type Bulletins, Brochures, etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General
rest Data Document.	Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
Thread Series Designator:	
	"nominal", Etc.).

How to Order Order this toggle switch from our inventory online by visiting https://military-fasteners.com/switches/toggle+switches/MS24523-23 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out here to complete your order. Provided by Military-Fasteners.com