

Description

anti-friction bearing - control pulley

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS245662B
Minimum Qty (MOQ):	1
NSN:	3020-00-528-0508
National Motor Freight:	127320, Pulleys / Sheaves,noi

NO IMAGE
AVAILABLE

P/N MS24566-2B Specifications

Groove Depth:	0.139 Inches Minimum And 0.149 Inches Maximum
Groove Width:	0.120 Inches Minimum And 0.130 Inches Maximum
Outside Diameter:	2.490 Inches Minimum And 2.510 Inches Maximum
Overall Length:	0.292 Inches Minimum And 0.297 Inches Maximum
Bore Diameter:	0.189 Inches Minimum And 0.190 Inches Maximum
Bore Length:	0.292 Inches Minimum And 0.297 Inches Maximum
Groove Radius:	0.052 Inches Minimum And 0.055 Inches Maximum
Material And Location:	Plastic, Phenolic Hub Err-100 Err-100 And Steel Hub Err-100 Err-100
Material And Location:	Plastic, Phenolic Body Err-100 Err-100
Face Width:	0.240 Inches Nominal
Design Form:	Webbed
Bore Type:	Straight
Bearings:	Included
Groove Quantity:	1
Counterbore Feature:	Not Included
Bearing Quantity:	1
Keying Facility:	Not Included
Split Hub Feature:	Not Included
Web/spoke Relationship To Face Centerline:	Not Offset
Lightening Hole:	Not Included
Integral Cooling Vane:	Not Included
Groove Shape:	U
Bore Feature:	Included
Bearing Type:	Ball
Protruding Hub Characteristic:	Stepped
First Step Face Largest Diameter And Location:	1.031 Inches Nominal Both Ends
First Step Length And Location:	0.022 Inches Nominal Both Ends
Second Step Length And Location:	0.005 Inches Nominal Both Ends
Hub End Outside Diameter And Location:	0.375 Inches Nominal Both Ends
Distance From Outside Flange/rim To Hub End And Location:	0.027 Inches Nominal Both Ends
Style Designator:	Webbed Or Spoked

How to Order

Order this groove pulley from our inventory online by visiting <https://military-fasteners.com/pulleys/groove+pulleys/MS24566-2B> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.