

Description

blue sleeve color, insulated ring, crimp style, MS25036 series terminal

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	MS25036134
Minimum Qty (MOQ):	10
NSN:	5940-00-804-0520
Schedule B:	7415.39.0000
ECCN:	EAR99
National Motor Freight:	061680, Elec Wiring Plugs Etc



P/N MS25036-134 Specifications

Overall Length:	2.638 Inches
Overall Width:	0.900 Inches
Material Thickness:	0.130 Inches
Maximum Conductor Size Accommodated:	0 Awg
Electrical Insulation Feature:	Insulating Sleeve
Mounting Method Style:	Ring
Mounting Hole Diameter:	0.535 Inches
Mounting Tongue Width:	0.900 Inches
Mounting Facility Thickness:	0.130 Inches
Identification Code Color:	Blue
Basic Shape Style:	Crimp
Conductor Accommodation Type:	Recessed Barrel Single End
Material:	Copper Alloy Overall Except Insulation
Material:	Plastic Polyamide Insulation Or Plastic Vinyl Insulation
Material Document And Classification:	Qq-c-576 Fed Spec 1st Material Response Overall Except Insulation Or Ww-t-799 Fed Spec 2nd Material Response Overall Except Insulation
Surface Treatment:	Tin Overall Except Insulation Single Layer
Surface Treatment Document And Classification:	Mil-t-10727,type 1 Or Type 2 Mil Spec Single Treatment Response Overall Except Insulation Single Layer
Test Data Document:	81349-mil-t-7928 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).

How to Order

Order this lug terminal from our inventory online by visiting <https://military-fasteners.com/electrical/lug+terminals/MS25036-134> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.