

## P/N MS25082-B22

### **Description**

Thread Size: 1/2", Nut Height: 1/8", Head Width: 1/2

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

### Order this part online

#### **Additional Information**

SKU / Model:	MS25082B22
Minimum Qty (MOQ):	25
NSN:	5310-00-472-1314
ECCN:	EAR99
National Motor Freight:	013540, Alum Nuts



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS25082-B22 Specifications

Thread Class:	2b
Thread Direction:	Right-hand
Nut Style:	Hexagon
Nut Height:	0.088 Inches Minimum And 0.098 Inches Maximum
Width Across Flats:	0.553 Inches Minimum And 0.564 Inches Maximum
Thread Series:	Un
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.500 Inches
Bearing Surface Type:	Chamfered
Material:	Copper Alloy 360 Overall
Material Document And Classification:	Qq-b-626,1/2 H Fed Spec Single Material Response Overall
Surface Treatment:	Oxide Overall
Surface Treatment Document And Classification:	Mil-f-495 Mil Spec Single Treatment Response Overall
Nondefinitive Spec/std Data:	2 Type

## **How to Order**

Order this nut from our inventory online by visiting <a href="https://military-fasteners.com/nuts/loop+clamps/MS25082-B22">https://military-fasteners.com/nuts/loop+clamps/MS25082-B22</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/loop+clamps/MS25082-B22">https://military-fasteners.com/nuts/loop+clamps/MS25082-B22</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/loop+clamps/MS25082-B22">https://military-fasteners.com/nuts/loop+clamps/MS25082-B22</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/loop+clamps/MS25082-B22">https://military-fasteners.com/nuts/loop+clamps/MS25082-B22</a> and selecting the quantity you want then click "add to cart".