



Military-Fasteners.com

P/N MS25226-2-20

Description

Superseded by MS25226-2A-20 Studs: #6, material: copper, finish: cadmium type II, designed to be used with terminal block (MS27212), the last number indicates number of stud holes in assembly, terminal link, MS25226 series conductor

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

Alternate Part Numbers

[MS25226-2A-20](#)

SKU / Model:	MS25226220
Minimum Qty (MOQ):	1
NSN:	6150-00-686-5100
Schedule B:	8543.90.9000
ECCN:	EAR99
National Motor Freight:	063025, Semiconductors / Devices Noi Etc



* See page 2 for technical characteristics

P/N MS25226-2-20 Specifications

Body Cross-sectional Shape:	Rectangular W/edge Radius
Overall Length:	11.724 Inches Nominal
Cross-sectional Height:	0.032 Inches Nominal
Cross-sectional Width:	0.250 Inches Nominal
Mounting Configuration:	20 0.147 In. Dia Holes 0.594 In. C To C
Construction:	Solid
Material:	Copper
Material Document And Classification:	Qq-c-502 Fed Spec Single Material Response Or Qq-c-576 Fed Spec Single Material Response
Surface Treatment:	Cadmium
Surface Treatment Document And Classification:	Qq-p-416, Type 2, Class 3 Fed Spec Single Treatment Response

How to Order

Order this conductor bus from our inventory online by visiting <https://military-fasteners.com/electrical/conductor+bus/MS25226-2-20> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.