

**Description**

\*Superseded by MS25226-2A-20\* Studs: #6, material: copper, finish: cadmium type II, designed to be used with terminal block (MS27212), the last number indicates number of stud holes in assembly, terminal link, MS25226 series conductor

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[MS25226-2A-20](#)

SKU / Model:	MS25226220
Minimum Qty (MOQ):	1
NSN:	6150-00-686-5100
Schedule B:	8543.90.9000
ECCN:	EAR99
National Motor Freight:	063025, Semiconductors / Devices Noi Etc



## P/N MS25226-2-20 Specifications

<b>Body Cross-sectional Shape:</b>	Rectangular W/edge Radius
<b>Overall Length:</b>	11.724 Inches Nominal
<b>Cross-sectional Height:</b>	0.032 Inches Nominal
<b>Cross-sectional Width:</b>	0.250 Inches Nominal
<b>Mounting Configuration:</b>	20 0.147 In. Dia Holes 0.594 In. C To C
<b>Construction:</b>	Solid
<b>Material:</b>	Copper
<b>Material Document And Classification:</b>	Qq-c-502 Fed Spec Single Material Response Or Qq-c-576 Fed Spec Single Material Response
<b>Surface Treatment:</b>	Cadmium
<b>Surface Treatment Document And Classification:</b>	Qq-p-416, Type 2, Class 3 Fed Spec Single Treatment Response

## How to Order

Order this conductor bus from our inventory online by visiting <https://military-fasteners.com/electrical/conductor+bus/MS25226-2-20> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.