



Military-Fasteners.com

P/N MS25226-4-5

Description

Superceded by MS25226-4A-5 stud: #10, last number indicates number of stud holes in assembly, terminal link, MS25226 series conductor

* Manufacturer certifications are shipped with your order FREE of charge



Order this part online

Additional Information

Alternate Part Numbers

[MS25226-4A-5](#)

| | |
|-------------------------|--|
| SKU / Model: | MS2522645 |
| Minimum Qty (MOQ): | 1 |
| NSN: | 6150-00-686-8322 |
| ECCN: | EAR99 |
| National Motor Freight: | 063025, Semiconductors / Devices Noi Etc |



* See page 2 for technical characteristics

P/N MS25226-4-5 Specifications

| | |
|---|--|
| Body Cross-sectional Shape: | Rectangular W/edge Radius |
| Overall Length: | 3.438 Inches Nominal |
| Cross-sectional Height: | 0.032 Inches Nominal |
| Cross-sectional Width: | 0.438 Inches Nominal |
| Mounting Configuration: | Five 0.201 In. Dia Holes0.750 In. C To C |
| Construction: | Solid |
| Material: | Copper |
| Material Document And Classification: | Qq-c-502 Fed Spec Single Material Response Or Qq-c-576 Fed Spec Single Material Response |
| Surface Treatment: | Cadmium |
| Surface Treatment Document And Classification: | Qq-p-416, Type 2, Class 3 Fed Spec Single Treatment Response |

How to Order

Order this conductor bus from our inventory online by visiting <https://military-fasteners.com/electrical/conductor+bus/MS25226-4-5> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.