

## Description

Diameter: 13/64", plastic polyhexamethylene amide overall, natural color, nylon

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

### Alternate Part Numbers

[MS25281-F6](#)

|                         |                       |
|-------------------------|-----------------------|
| SKU / Model:            | MS25281F6             |
| Minimum Qty (MOQ):      | 10                    |
| NSN:                    | 5340-00-915-2342      |
| ECCN:                   | EAR99                 |
| National Motor Freight: | 095190, Hardware, Noi |



\* See page 2 for technical characteristics

## P/N MS25281F6 Specifications

|  |  |
|--|--|
| <b>Tongue Hole Type:</b>   | Round, Unthreaded                                    |
| <b>Overall Width:</b>  | 0.485 Inches Minimum And 0.515 Inches Maximum        |
| <b>Diameter:</b>   | 0.198 Inches Nominal And 0.213 Inches Nominal        |
| <b>Material Thickness:</b>                                       | 0.057 Inches Minimum And 0.072 Inches Maximum        |
| <b>Center To Center Distance Between Loop And Mounting Hole:</b> | 0.567 Inches Minimum And 0.617 Inches Maximum        |
| <b>Distance From Loop Center To Tongue End:</b>                  | 0.842 Inches Nominal                                 |
| <b>Loop Inside Diameter:</b>                                     | 0.355 Inches Minimum And 0.395 Inches Maximum        |
| <b>Special Features:</b>   | Color Natural  |
| <b>Material:</b>   | Plastic Polyhexamethylene Amide Overall              |
| <b>Material Document And Classification:</b>                     | Astm D4066 Assn Std Single Material Response Overall |
| <b>Style Designator:</b>   | Single Loop  |

## How to Order

Order this loop clamp from our inventory online by visiting <https://military-fasteners.com/clamps/loop+clamps/MS25281F6> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.