

Description

MS3116F8-4P Electrical Connector Plug

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

| | |
|-------------------------|-------------------------------|
| SKU / Model: | MS3116F84P |
| Minimum Qty (MOQ): | 2 |
| NSN: | 5935-00-761-3881 |
| ECCN: | EAR99 |
| National Motor Freight: | 061680, Elec Wiring Plugs Etc |

NO IMAGE
AVAILABLE

P/N MS3116F8-4P Specifications

| | |
|---|---|
| Body Style: | Straight Shape, Internal Coupling W/strain Relief |
| Body Length: | 1.828 Inches Maximum |
| Overall Diameter: | 0.750 Inches Maximum |
| Environmental Protection: | Moisture Resistant And Salt Water Resistant And Vibration Resistant |
| Cable Entrance Diameter: | 0.234 Inches Maximum |
| Mating End Quantity: | 1 |
| Contact Position Arrangement Style: | 40394 Single Mating End |
| Contact Position Arrangement Style: | 8-4 Single Mating End |
| Contact Removability: | Nonremovable Single Mating End Single Contact Grouping |
| Contact Maximum Ac Voltage Rating In Volts: | 600.0 Single Mating End Single Contact Grouping |
| Polarization Method: | Key, Multiple Key Groove |
| Insert Position In Deg: | 0.0 |
| Shell Type: | Solid |
| Connector Locking Method: | Bayonet Latch |
| Connector Cable Strain Relief Method: | Cable Clamp |
| Terminal Location: | Back Single Mating End Single Contact Grouping |
| Contact Surface Treatment: | Gold Single Mating End Single Contact Grouping And Copper Single Mating End Single Contact Grouping |
| Terminal Type: | Solder Well Single Mating End Single Contact Grouping |
| Shell Material: | Aluminum Alloy |
| Shell Surface Treatment: | Cadmium |
| Shell Surface Treatment Document And Classification: | Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response |
| Included Contact Quantity: | 4 Single Mating End Single Contact Grouping |
| Included Contact Type: | Round Pin Single Mating End Single Contact Grouping |
| Precious Material And Location: | Contact Surface Gold |
| Precious Material And Weight: | 0.020 Gold Grains, Troy |
| Precious Material: | Gold |

| | |
|-------------------------------------|--|
| Test Data Document: | 81349-mil-c-26482 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.). |
| Specification/standard Data: | 81349-mil-c-26482 Government Specification |

How to Order

Order this electrical connector plug from our inventory online by visiting <https://military-fasteners.com/electrical/electrical+connector+plugs/MS3116F8-4P> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.