

**Description**

MS3126F12-3S Electrical Plug Connector

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS3126F123S
Minimum Qty (MOQ):	1
NSN:	5935-00-765-5991
Schedule B:	8536.69.5050
ECCN:	EAR99
National Motor Freight:	061680, Elec Wiring Plugs Etc



\* See page 2 for technical characteristics

P/N MS3126F12-3S Specifications

Body Style:	Straight Shape, Internal Coupling W/stra In Relief
lii Body Style:	Straight Shape, Internal Coupling W/strain Relief
Body Length:	2.413 Inches Maximum
Overall Diameter:	1.031 Inches Maximum
Environmental Protection:	Moisture Resistant And Salt Water Resistant And Vibration Resistant
Cable Entrance Diameter:	0.281 Inches Maximum
Mating End Quantity:	1
Contact Position Arrangement Style:	Adcv 12-3 Single Mating End
Contact Position Arrangement Style:	12-3 Single Mating End
Contact Removability:	Removable Single Mating End Single Contact Grouping
Contact Maximum Ac Voltage Rating In Volts:	1000.0 Single Mating End Single Contact Grouping
Polarization Method:	Key, Multiple Key Groove
Insert Position In Deg:	0.0
Shell Type:	Solid
Connector Locking Method:	Bayonet Latch
Connector Cable Strain Relief Method:	Cable Clamp
Terminal Location:	Back Single Mating End Single Contact Grouping
Contact Surface Treatment:	Gold And Copper Single Mating End Single Contact Grouping
Terminal Type:	Crimp Single Mating End Single Contact Grouping
Shell Material:	Aluminum Alloy
Shell Surface Treatment:	Cadmium
Shell Surface Treatment Document And Classification:	Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response
Included Contact Quantity:	3 Single Mating End Single Contact Grouping
Included Contact Type:	Round Socket Single Mating End Single Contact Grouping
Precious Material And Location:	Contact Surfaces Gold
Precious Material And Weight:	0.015 Gold Grains, Troy
Precious Material:	Gold

<b>Test Data Document:</b>	81349-mil-dtl-26482 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
<b>Specification/standard Data:</b>	81349-mil-dtl-26482 Government Specification

## How to Order

Order this electrical plug connector from our inventory online by visiting <https://military-fasteners.com/electrical/electrical+connector+plugs/MS3126F12-3S> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.