

Description

MS3126F12-3S Electrical Plug Connector

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS3126F123S
Minimum Qty (MOQ):	1
NSN:	5935-00-765-5991
Schedule B:	8536.69.5050
ECCN:	EAR99
National Motor Freight:	061680, Elec Wiring Plugs Etc

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N MS3126F12-3S Specifications

Body Style:	Straight Shape, Internal Coupling W/stra In Relief
lii Body Style:	Straight Shape, Internal Coupling W/strain Relief
Body Length:	2.413 Inches Maximum
Overall Diameter:	1.031 Inches Maximum
Environmental Protection:	Moisture Resistant And Salt Water Resistant And Vibration Resistant
Cable Entrance Diameter:	0.281 Inches Maximum
Mating End Quantity:	1
Contact Position Arrangement Style:	Adcv 12-3 Single Mating End
Contact Position Arrangement Style:	12-3 Single Mating End
Contact Removability:	Removable Single Mating End Single Contact Grouping
Contact Maximum Ac Voltage Rating In Volts:	1000.0 Single Mating End Single Contact Grouping
Polarization Method:	Key, Multiple Key Groove
Insert Position In Deg:	0.0
Shell Type:	Solid
Connector Locking Method:	Bayonet Latch
Connector Cable Strain Relief Method:	Cable Clamp
Terminal Location:	Back Single Mating End Single Contact Grouping
Contact Surface Treatment:	Gold And Copper Single Mating End Single Contact Grouping
Terminal Type:	Crimp Single Mating End Single Contact Grouping
Shell Material:	Aluminum Alloy
Shell Surface Treatment:	Cadmium
Shell Surface Treatment Document And Classification:	Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response
Included Contact Quantity:	3 Single Mating End Single Contact Grouping
Included Contact Type:	Round Socket Single Mating End Single Contact Grouping
Precious Material And Location:	Contact Surfaces Gold
Precious Material And Weight:	0.015 Gold Grains, Troy
Precious Material:	Gold

Test Data Document:	81349-mil-dtl-26482 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
Specification/standard Data:	81349-mil-dtl-26482 Government Specification

How to Order

Order this electrical plug connector from our inventory online by visiting <https://military-fasteners.com/electrical/electrical+connector+plugs/MS3126F12-3S> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.