

P/N MS35058-23

Description

25 amps at 28VDC, 10 amps at 115VAC/60Hz, momentary ON - OFF, swith lever seal, screw terminal, MS35058 series switch

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

Alternate Part Numbers

8810K15

SKU / Model: MS3505823

Minimum Qty (MOQ):

NSN: 5930-00-655-1515

Schedule B: 8535.90.8040

ECCN: EAR99

National Motor Freight: 061300, Circuit Breaker / Switch Noi









P/N MS35058-23 Specifications

| Thread Class: | 2a |
|---|---|
| Body Style: | Bushing Mount |
| Hazardous Locations/environmental Protection: | Driptight |
| Overall Length: | 1.157 Inches Maximum |
| Overall Height: | 2.238 Inches Nominal |
| Overall Width: | 0.641 Inches Maximum |
| Bushing Length: | 0.470 Inches Nominal |
| Body Length: | 1.157 Inches Maximum |
| Body Width: | 0.641 Inches Maximum |
| Actuator Style: | Round |
| Actuator Diameter: | 0.240 Inches Nominal |
| Actuator Height: | 0.690 Inches Nominal |
| Actuator Position-action Relationship: | Up Position Maintained And Down Position Maintained |
| Maximum Voltage Rating In Volts: | 115.0 Ac And 28.0 Dc |
| Mounting Surface To Terminal End Distance: | 1.078 Inches Maximum |
| Inclosure Type: | Fully Inclosed |
| Mounting Method: | Threaded Bushing |
| Features Provided: | Actuator Seal |
| Thread Quantity Per Inch: | 32 |
| Nominal Thread Size: | 0.468 Inches |
| Nonpile-up Contact Arrangement: | 1 Pole, Double Throw, Both Positions Maintained Single Switch Unit |
| Contact Load Current Rating At Maximum Rated Voltage: | 25.000 Amperes Resistive Dc And 15.000 Amperes Inductive Dc And 7.000 Amperes Lamp Dc And 10.000 Amperes Resistive Ac And 10.000 Amperes Inductive Ac And 3.000 Amperes Lamp Ac |
| Test Data Document: | 81349-mil-dtl-83731 Specification (includes Engineering Type Bulletins, Brochures, etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.). |
| Thread Series Designator: | Uns |
| Terminal Type And Quantity: | 3 Tab W/screw |
| | |

Specification/standard Data: 96906-ms35058 Government Standard

How to Order

Order this toggle switch from our inventory online by visiting https://military-fasteners.com/switches/toggle+switches/MS35058-23 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check outhere to complete your order.