

Description

25 amps at 28VDC, 10 amps at 115VAC/60Hz, momentary ON - OFF, swith lever seal, screw terminal, MS35058 series switch

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

Alternate Part Numbers

[8810K15](#)

SKU / Model:	MS3505823
Minimum Qty (MOQ):	1
NSN:	5930-00-655-1515
Schedule B:	8535.90.8040
ECCN:	EAR99
National Motor Freight:	061300, Circuit Breaker / Switch Noi



* See page 2 for technical characteristics

P/N MS35058-23 Specifications

Thread Class:	2a
Body Style:	Bushing Mount
Hazardous Locations/environmental Protection:	Driptight
Overall Length:	1.157 Inches Maximum
Overall Height:	2.238 Inches Nominal
Overall Width:	0.641 Inches Maximum
Bushing Length:	0.470 Inches Nominal
Body Length:	1.157 Inches Maximum
Body Width:	0.641 Inches Maximum
Actuator Style:	Round
Actuator Diameter:	0.240 Inches Nominal
Actuator Height:	0.690 Inches Nominal
Actuator Position-action Relationship:	Up Position Maintained And Down Position Maintained
Maximum Voltage Rating In Volts:	115.0 Ac And 28.0 Dc
Mounting Surface To Terminal End Distance:	1.078 Inches Maximum
Inclosure Type:	Fully Inclosed
Mounting Method:	Threaded Bushing
Features Provided:	Actuator Seal
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.468 Inches
Nonpile-up Contact Arrangement:	1 Pole, Double Throw, Both Positions Maintained Single Switch Unit
Contact Load Current Rating At Maximum Rated Voltage:	25.000 Amperes Resistive Dc And 15.000 Amperes Inductive Dc And 7.000 Amperes Lamp Dc And 10.000 Amperes Resistive Ac And 10.000 Amperes Inductive Ac And 3.000 Amperes Lamp Ac
Test Data Document:	81349-mil-dtl-83731 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
Thread Series Designator:	Uns
Terminal Type And Quantity:	3 Tab W/screw

Specification/standard Data:	96906-ms35058 Government Standard
-------------------------------------	-----------------------------------

How to Order

Order this toggle switch from our inventory online by visiting <https://military-fasteners.com/switches/toggle+switches/MS35058-23> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.