

Description

mates with ms25182-2 battery disconnect

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|-------------------------------|
| SKU / Model: | MS350920 |
| Minimum Qty (MOQ): | 1 |
| NSN: | 5935-01-177-2321 |
| National Motor Freight: | 061680, Elec Wiring Plugs Etc |

NO IMAGE
AVAILABLE

P/N MS3509-20 Specifications

| | |
|--|--|
| Thread Class: | 2a |
| Thread Direction: | Right-hand |
| Body Style: | Straight Shape |
| Overall Length: | 4.280 Inches Nominal |
| Center To Center Distance Between Mounting Facilities Parallel To Length: | 3.438 Inches Nominal |
| Overall Height: | 1.357 Inches Nominal |
| Overall Width: | 1.624 Inches Nominal |
| Environmental Protection: | Heat Resistant And Humidity Resistant And Salt Water Resistant And Shock Resistant |
| Unthreaded Mounting Hole Diameter: | 0.198 Inches Minimum And 0.208 Inches Maximum |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: | 0.782 Inches Nominal |
| Threaded Device Type: | Coupling Facility |
| Mating End Quantity: | 1 |
| Contact Position Arrangement Style: | 2 Single Mating End |
| Contact Removability: | Nonremovable Single Mating End Single Contact Grouping |
| Polarization Method: | Contact |
| Connector Locking Method: | Screw |
| End Item Identification: | 1055-01-092-0596 |
| Nominal Thread Length: | 0.500 Inches |
| Thread Quantity Per Inch: | 18 |
| Nominal Thread Size: | 0.312 Inches |
| Terminal Location: | Front Single Mating End Single Contact Grouping |
| Contact Material: | Copper Alloy Single Mating End Single Contact Grouping |
| Terminal Type: | Screw Single Mating End Single Contact Grouping |
| Included Contact Quantity: | 2 Single Mating End Single Contact Grouping |
| Included Contact Type: | Round Pin Single Mating End Single Contact Grouping |
| Test Data Document: | 81349-mil-e-81099 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.). |

| | |
|-------------------------------------|----------------------------------|
| Thread Series Designator: | Unc |
| Specification/standard Data: | 96906-ms3509 Government Standard |

How to Order

Order this electrical receptacle connector from our inventory online by visiting <https://military-fasteners.com/electrical/electrical+receptacle+connectors/MS3509-20> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.