

P/N MS35338-154

Description

MS35338 series washer

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model: MS35338154

Minimum Qty (MOQ): 100

NSN: 5310-00-926-5876

ECCN: EAR99

National Motor Freight: 194160, Washer Or Gaskets, Iron Or Steel,



^{*} See page 2 for technical characteristics

P/N MS35338-154 Specifications

Hole Diameter:	0.115 Inches Minimum And 0.124 Inches Maximum
Outside Diameter:	0.209 Inches Nominal
Material Thickness:	0.025 Inches Nominal
End Item Identification:	Aircraft, (ac-130h, Mc-130h, Ec-130e, Hc-130); helicopter, Mh-53e; engine, aircraft, F101-ge-102 (b-1); aircraft, c-2a (reprocured); support Equipment, B-52 Aircraft; support Equipment, B-1 Aircraft; ground Mobile Force Satellite Comm Term (an/tsc-93a); missile, Air-to-air, Sparrow (aim-7); ground Mobile Force Satellite Comm Term (an/tsc-85a)
Material:	Steel Comp 420 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Overall
Style Designator:	Split Helical-right Hand

How to Order

Order this lock washer from our inventory online by visiting https://military-fasteners.com/washers/lock+washers/MS35338-154 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/lock+washers/MS35338-154 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/lock+washers/MS35338-154 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/MS35338-154 and selecting the quantity you want https://military-fasteners.com/washers/MS35338-154 and selecting the quantity you want https://military-fasteners.com/washers/MS35338-154 and selecting the quantity you want https://military-fasteners.com/washers/MS35338-154 and selecting the properties of t