

## P/N MS35489-21

### **Description**

inner diameter: 3/4", groove diameter: 7/16" groove width: 1/16", synthetic rubber grommet, hot oil and coolant resistant, MS35489 series grommet

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model:	MS3548921
Minimum Qty (MOQ):	10
NSN:	5325-00-270-8891

Schedule B: 4016.93.1010

ECCN: EAR99

National Motor Freight: 095190, Hardware, Noi







<sup>\*</sup> See page 2 for technical characteristics

# P/N MS35489-21 Specifications

Hole Diameter:	0.734 Inches Minimum And 0.766 Inches Maximum
Groove Width:	0.046 Inches Minimum And 0.078 Inches Maximum
Flange Thickness:	0.140 Inches Minimum And 0.172 Inches Maximum
Overall Height:	0.344 Inches Minimum And 0.406 Inches Maximum
Grommet Style:	Round
Large Flange Outside Diameter:	1.781 Inches Minimum And 1.843 Inches Maximum
Groove Outside Diameter:	1.422 Inches Minimum And 1.454 Inches Maximum
Grommet Construction Type:	Solid
Features Provided:	Coolant Resistant And Oil Resistant
Color:	Black Overall
Material:	Rubber Synthetic Overall
Material Document And Classification:	Astm D2000bg525a14b24c32e036f19z Assn Std Single Material Response Overall

## **How to Order**

Order this nonmetallic grommet from our inventory online by visiting <a href="https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21">https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21">https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21">https://military-fasteners.com/grommets/nonmetallic+grommets/MS35489-21</a> and selecting the