

P/N MS35764-223

Description

Fastener Length: 1-3/4", Thread: 1/4-18, Thread Length: 0-63/64

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	MS35764223
Minimum Qty (MOQ):	40
NSN:	5306-01-209-9336
Schedule B:	7318.15.8085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



^{*} See page 2 for technical characteristics

P/N MS35764-223 Specifications

Thread Class:	2a	
Thread Direction:	Right-hand	
Thread Length:	0.960 Inches Minimum And 1.438 Inches Maximum	
Fastener Length:	1.710 Inches Minimum And 1.750 Inches Maximum	
Head Style:	Hexagon	
Head Height:	0.188 Inches Minimum And 0.198 Inches Maximum	
Width Between Flats:	0.551 Inches Minimum And 0.562 Inches Maximum	
Locking Feature:	Distortions Bearing Surface Of Head	
Nominal Thread Diameter:	0.312 Inches	
Features Provided:	Finished Head	
Thread Quantity Per Inch:	18	
Minimum Tensile Strength:	150000 Pounds Per Square Inch	
Hardness Rating:	32.0 Rockwell C Minimum Overall And 38.0 Rockwell C Maximum Overall	
Material:	Steel Comp 1013 Overall Or Steel Comp 1015 Overall Or Steel Comp 1016 Overall Or Steel Comp 1017 Overall Or Steel Comp 1018 Overall Or Steel Comp 1019 Overall Or Steel Comp 1020 Overall Or Steel Comp 1021 Overall Or Steel Comp 1022 Overall Or Steel Comp 1023 Overall Or Steel Comp 1524 Overall Or Steel Comp 1025 Overall Or Steel Comp 1026 Overall Or Steel Comp 1527 Overall Or Steel Comp 1029 Overall Or Steel Comp 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1536 Overall Or Steel Comp 1037 Overall Or Steel Comp 1038 Overall Or Steel Comp 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1541 Overall	
Material Document And Classification:	Sae,grade 8 Assn Std All Material Responses Overall	
Surface Treatment:	Phosphate Zinc Overall	
Surface Treatment Document And Classification:	Mil-p-16232,tyz,cl2 Mil Spec Single Treatment Response Overall	
Thread Series Designator:	Unc	

How to Order

