

**Description**

thread: 4-40 inner, thread: 10-32 outer, ket locked, miniature and lightweight, without internal thread lock, corrosion resistant steel, MS51830 series insert

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[217-076284](#)

|                         |                             |
|-------------------------|-----------------------------|
| SKU / Model:            | MS51830102                  |
| Minimum Qty (MOQ):      | 10                          |
| NSN:                    | 5325-00-442-3208            |
| Schedule B:             | 8803.30.0030                |
| ECCN:                   | EAR99                       |
| National Motor Freight: | 095190, Hardware, Noi Sub 9 |



## P/N MS51830-102 Specifications

|   |   |
|---|---|
| <b>Length:</b>  | 0.170 Inches Nominal                                |
| <b>Insert Size:</b>                                   | 0.190-32 Unf Class 2a                               |
| <b>Full Internal Thread Length:</b>                   | 0.170 Inches Nominal                                |
| <b>Material:</b>                                      | Steel Comp 302 Overall                              |
| <b>Material Document And Classification:</b>          | Fed Std 66 Fed Std Single Material Response Overall |
| <b>Surface Treatment:</b>                             | Passivate Overall                                   |
| <b>Surface Treatment Document And Classification:</b> | Qq-p-35 Fed Spec Single Treatment Response Overall  |
| <b>Style Designator:</b>                              | Keylock   |

## How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/MS51830-102> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.