

**Description**

thread: 4-40 inner, thread: 10-32 outer, ket locked, miniature and lightweight, without internal thread lock, corrosion resistant steel, MS51830 series insert

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[217-076284](#)

SKU / Model:	MS51830102
Minimum Qty (MOQ):	10
NSN:	5325-00-442-3208
Schedule B:	8803.30.0030
ECCN:	EAR99
National Motor Freight:	095190, Hardware, Noi Sub 9



## P/N MS51830-102 Specifications

<b>Length:</b>	0.170 Inches Nominal
<b>Insert Size:</b>	0.190-32 Unf Class 2a
<b>Full Internal Thread Length:</b>	0.170 Inches Nominal
<b>Material:</b>	Steel Comp 302 Overall
<b>Material Document And Classification:</b>	Fed Std 66 Fed Std Single Material Response Overall
<b>Surface Treatment:</b>	Passivate Overall
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Overall
<b>Style Designator:</b>	Keylock

## How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/MS51830-102> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.