

Description

Thread: 8-32 inner, 1/4-28 outer, ket locked, miniature and lightweight, without internal thread lock, corrosion resistant steel, MS51830 series insert


* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[217-076286](#)

| | |
|-------------------------|-----------------------------|
| SKU / Model: | MS51830104 |
| Minimum Qty (MOQ): | 10 |
| NSN: | 5325-00-177-3984 |
| Schedule B: | 7318.19.0000 |
| ECCN: | EAR99 |
| National Motor Freight: | 095190, Hardware, Noi Sub 9 |



P/N MS51830-104 Specifications

| | |
|--|---|
| Insert Size: | 0.250-28 Unf Class 2a |
| Material: | Steel Comp 303 Overall |
| Material Document And Classification: | Mil-s-7720,cond B Mil Spec Single Material Response Overall |
| Surface Treatment: | Passivate Overall |
| Style Designator: | Grooved Keylock |

How to Order

Order this screw thread insert from our inventory online by visiting <https://military-fasteners.com/inserts/screw+thread+inserts/MS51830-104> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.