

P/N MS51971-3

Description

Thread: 3/8-16, Thread Size: 3/8", Nut Height: 1/4", Head Width: 5/8", MS51971 series nut

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model: MS519713

Minimum Qty (MOQ): 25

NSN: 5310-00-260-7924

Schedule B: 7318.16.0085

ECCN: EAR99

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)





P/N MS51971-3 Specifications

Thread Class:	2b
Thread Direction:	Right-hand
Nut Style:	Hexagon
Nut Height:	0.294 Inches Minimum And 0.330 Inches Maximum
Width Across Flats:	0.606 Inches Minimum And 0.625 Inches Maximum
Thread Series:	Unc
Thread Quantity Per Inch:	16
Nominal Thread Size:	0.375 Inches
Bearing Surface Type:	Chamfered Or Washer Faced
Material:	Steel Corrosion Resisting Overall
Material Document And Classification:	Qq-s-763 Fed Spec Single Material Response Overall
Surface Treatment:	Passivate Overall
Nondefinitive Spec/std Data:	2 Type And A Style And 2 Type And B Style

How to Order

Order this plain hexagon nut from our inventory online by visiting https://military-fasteners.com/nuts/plain+hexagon+nuts/MS51971-3 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/MS51971-3 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/MS51971-3 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/plain+hexagon+nuts/MS51971-3 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/msf1971-3 and selecting the your cart you can check out https://military-fasteners.com/nuts/msf1971-3 and selecting the your cart you can check out https://military-fasteners.com/nuts/msf1971-3 and selecting the your cart you