

Description

MS90353 series rivet

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

| | |
|--------------------|------------------|
| SKU / Model: | MS903530810 |
| Minimum Qty (MOQ): | 10 |
| NSN: | 5320-01-548-9271 |
| Schedule B: | 7318.15.8085 |
| ECCN: | 9A991 |



* See page 2 for technical characteristics

P/N MS90353-0810 Specifications

| | |
|---|--|
| Fastener Length: | 0.844 Inches Nominal |
| Head Style: | Flush (flat) Countersunk (included Angle - Less Than 135 Deg W Or W/o Chamfer) |
| Shank Diameter: | 0.258 Inches Minimum And 0.260 Inches Maximum |
| Shank Style: | Self-plugging Mechanically Locked Stem |
| Head Major Diameter: | 0.507 Inches Nominal |
| Expansion Device: | Serrated Stem-type W |
| Grip Length: | 0.844 Inches Nominal |
| Minimum Tensile Strength: | 3650 Pounds Per Square Inch |
| Hardness Rating: | 326.0 Knoop Minimum Sleeve And 466.0 Knoop Maximum Sleeve |
| Hardness Rating: | 48.0 Rockwell C Minimum Stem And 53.0 Rockwell C Maximum Stem |
| Shear Strength: | 5900 Single Pounds Per Square Inch |
| Countersink Angle: | 99.0 Degrees Minimum And 101.0 Degrees Maximum |
| Material: | Steel Comp 1010 Mechanical Lock Or Steel Comp 1020 Mechanical Lock |
| Material: | Steel Sleeve |
| Material: | Steel Stem |
| Material Document And Classification: | Ams 5737 Assn Std Single Material Response Mechanical Lock Or Ams 5690 Assn Std Single Material Response Mechanical Lock |
| Material Document And Classification: | Astm A331 Assn Std Single Material Response Stem |
| Material Document And Classification: | Astm A331 Assn Std Single Material Response Sleeve |
| Surface Treatment: | Cadmium Mechanical Lock |
| Surface Treatment: | Cadmium Sleeve |
| Surface Treatment: | Cadmium Stem |
| Surface Treatment Document And Classification: | Qq-p-416, Type I, Class 3 Fed Spec Single Treatment Response Stem |
| Surface Treatment Document And Classification: | Qq-p-416, Type Ii, Class 2 Fed Spec Single Treatment Response Mechanical Lock |
| Surface Treatment Document And Classification: | Qq-p-416, Type Ii, Class 2 Fed Spec Single Treatment Response Sleeve |

How to Order

Order this blind rivet from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/MS90353-0810> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.