

P/N MS90353-1006

Description

Fastener Length: 13/16"

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

SKU / Model: MS903531006

Minimum Qty (MOQ): 5 EA

NSN: 5320-00-866-4668

Schedule B: 7318.15.2010

ECCN: 9A991

National Motor Freight: 106510, Rivets I / S Plain / Galvanized Etc



^{*} See page 2 for technical characteristics

P/N MS90353-1006 Specifications

| Fastener Length: | 0.838 Inches Maximum |
|--|--|
| Head Style: | Flush (flat) Countersunk (included Angle - Less Than 135 Deg W Or W/o Chamfer) |
| Shank Diameter: | 0.310 Inches Minimum And 0.312 Inches Maximum |
| Shank Style: | Self-plugging Mechanically Locked Stem |
| Head Major Diameter: | 0.634 Inches Maximum |
| Expansion Device: | Serrated Stem-type W |
| Grip Length: | 0.344 Inches Minimum And 0.407 Inches Maximum |
| Hardness Rating: | 32.0 Rockwell C Minimum Body And 40.0 Rockwell C Maximum Body |
| Hardness Rating: | 48.0 Rockwell C Minimum Stem And 53.0 Rockwell C Maximum Stem |
| Shear Strength: | 8500 Single Pounds Per Square Inch |
| Countersink Angle: | 99.0 Degrees Minimum And 101.0 Degrees Maximum |
| Special Features: | Mechanical Lock Steel Aisi 660,steel Qq-s-633 Comp C1144 |
| Material: | Steel Comp 1144 Sleeve |
| Material: | Steel Comp 4037 Body Or Steel Comp 4130 Body |
| Material: | Steel Comp 8740 Stem |
| Material Document And Classification: | Mil-s-6049 Mil Spec Single Material Response Stem Or Qq-w-405 Fed Spec Single Material Response Stem |
| Material Document And Classification: | Qq-s-633 Fed Spec Single Material Response Sleeve |
| Material Document And Classification: | Qq-w-405 Fed Spec 1st Material Response Body Or Qq-w-405 Fed Spec 2nd Material Response Body Or Mil-s-6758 Mil Spec 2nd Material Response Body |
| Surface Treatment: | Cadmium Body |
| Surface Treatment: | Cadmium Mechanical Lock |
| Surface Treatment: | Cadmium Stem |
| Surface Treatment Document And Classification: | Qq-p-416,ty 1 Or 2,cl 3 Fed Spec Single Treatment Response Stem |
| Surface Treatment Document And Classification: | Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response Body |
| Surface Treatment Document And Classification: | Qq-p-416,ty 2,cl3 Fed Spec Single Treatment Response Mechanical Lock |

How to Order

