

Description

Fastener part number

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS90353S0507
Minimum Qty (MOQ):	10 EA
NSN:	5320-00-160-2351
Schedule B:	7318.15.2010
ECCN:	9A991
National Motor Freight:	106510, Rivets I / S Plain / Galvanized Etc

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N MS90353S0507 Specifications

Fastener Length:	0.592 Inches Maximum
Head Style:	Flush (flat) Countersunk (included Angle - Less Than 135 Deg W Or W/o Chamfer)
Shank Diameter:	0.162 Inches Minimum And 0.164 Inches Maximum
Shank Style:	Self-plugging Mechanically Locked Stem
Head Major Diameter:	0.333 Inches Maximum
Expansion Device:	Serrated Stem-type W
Grip Length:	0.406 Inches Minimum And 0.470 Inches Maximum
Minimum Tensile Strength:	112000 Pounds Per Square Inch
Hardness Rating:	32.0 Rockwell C Minimum Overall And 53.0 Rockwell C Maximum Overall
Hardness Rating:	32.0 Rockwell C Minimum And 53.0 Rockwell C Maximum Overall
Shear Strength:	2340 Single Pounds Per Square Inch
Countersink Angle:	99.0 Degrees Minimum And 101.0 Degrees Maximum
Material:	Steel Comp 4027 Body Or Steel Comp 4037 Body Or Steel Comp 4130 Body
Material:	Steel Comp 8740 Stem
Material:	Steel Comp 4027 Or Steel Comp 4037 Or Steel Comp 4130 Body
Material Document And Classification:	Mil-s-6049 Mil Spec Single Material Response Stem Or Qq-w-405 Fed Spec Single Material Response Stem
Material Document And Classification:	Qq-w-405 Fed Spec All Material Responses Body Or Mil-s-6758 Mil Spec All Material Responses Body
Material Document And Classification:	Mil-s-6049 Mil Spec Single Material Response Or Qq-w-405 Fed Spec Single Material Response Stem
Material Document And Classification:	Qq-w-405 Fed Spec All Material Responses Or Mil-s-6758 Mil Spec All Material Responses Body
Surface Treatment:	Cadmium Body And Chromate Body
Surface Treatment:	Cadmium Stem Or Cadmium Stem And Chromate Stem
Surface Treatment:	Cadmium Or Cadmium And Chromate Stem
Surface Treatment:	Cadmium And Chromate Body
Surface Treatment Document And Classification:	Qq-p-416 Ty 1 Or 2,cl 3 Fed Spec All Treatment Responses Stem
Surface Treatment Document And Classification:	Qq-p-416 Ty 2,cl 2 Fed Spec Single Treatment Response Body

How to Order

Order this fastener from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/MS90353S0507> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.