

Description

blind rivet part number

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS90353U0610
Minimum Qty (MOQ):	10
NSN:	5320-01-257-0755
National Motor Freight:	106510, Rivets I / S Plain / Galvanized Etc

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N MS90353U0610 Specifications

Identification Code Color:	Green
Fastener Length:	0.803 Inches Maximum
Head Style:	Flush (flat) Countersunk (included Angle - Less Than 135 Deg W Or W/o Chamfer)
Shank Diameter:	0.197 Inches Minimum And 0.199 Inches Maximum
Shank Style:	Self-plugging Mechanically Locked Stem
Head Major Diameter:	0.386 Inches Maximum
Expansion Device:	Serrated Stem-type W
Grip Length:	0.594 Nominal Mils And 0.657 Nominal Centimeters
Hardness Rating:	326.0 Knoop Minimum Sleeve And 466.0 Knoop Maximum Sleeve
Hardness Rating:	48.0 Rockwell C Minimum Stem And 53.0 Rockwell C Maximum Stem
Countersink Angle:	99.0 Degrees Minimum And 101.0 Degrees Maximum
Special Features:	Color On Threads
Material:	Steel Comp E4340 Sleeve Or Steel Comp 4027 Sleeve Or Steel Comp 4037 Sleeve Or Steel Comp 4130 Sleeve Or Steel Comp 4140 Sleeve Or Steel Comp 4150 Sleeve Or Steel Comp 4340 Sleeve Or Steel Comp 4620 Sleeve Or Steel Comp 4815 Sleeve Or Steel Comp 6150 Sleeve Or Steel Comp 8615 Sleeve Or Steel Comp 8620 Sleeve Or Steel Comp 8630 Sleeve Or Steel Comp 8640 Sleeve Or Steel Comp 8740 Sleeve
Material:	Steel Comp E4340 Stem Or Steel Comp 4027 Stem Or Steel Comp 4037 Stem Or Steel Comp 4130 Stem Or Steel Comp 4140 Stem Or Steel Comp 4150 Stem Or Steel Comp 4340 Stem Or Steel Comp 4620 Stem Or Steel Comp 4815 Stem Or Steel Comp 6150 Stem Or Steel Comp 8615 Stem Or Steel Comp 8620 Stem Or Steel Comp 8630 Stem Or Steel Comp 8640 Stem Or Steel Comp 8740 Stem
Material Document And Classification:	Astm A331 Assn Std Single Material Response Stem
Material Document And Classification:	Astm A331 Assn Std Single Material Response Sleeve
Surface Treatment:	Cadmium Sleeve And Chromate Sleeve
Surface Treatment:	Cadmium Stem
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 3 Fed Spec Single Treatment Response Stem
Surface Treatment Document And Classification:	Qq-p-416,ty 2,cl 2 Fed Spec Single Treatment Response Sleeve

How to Order

Order this blind rivet from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/MS90353U0610> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.