

## P/N MS90354-0607

### **Description**

Fastener Length: 5/8

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

 SKU / Model:
 MS903540607

 Minimum Qty (MOQ):
 10

 NSN:
 5320-00-883-9390

ECCN: EAR99



<sup>\*</sup> See page 2 for technical characteristics

# P/N MS90354-0607 Specifications

Fastener Length:	0.615 Inches Nominal
Head Style:	Small Pan
Head Height:	0.125 Inches Minimum And 0.135 Inches Maximum
Shank Diameter:	0.197 Inches Minimum And 0.199 Inches Maximum
Shank Style:	Self-plugging Mechanically Locked Stem
Head Major Diameter:	0.305 Inches Minimum And 0.332 Inches Maximum
<b>Expansion Device:</b>	Serrated Stem-type W
Grip Length:	0.406 Inches Minimum And 0.470 Inches Maximum
Minimum Tensile Strength:	112000 Pounds Per Square Inch
Hardness Rating:	32.0 Rockwell C Minimum Bolt And 40.0 Rockwell C Maximum Bolt
Hardness Rating:	48.0 Rockwell C Minimum Stem And 53.0 Rockwell C Maximum Stem
Material:	Steel Comp 4027 Sleeve Or Steel Comp 4037 Sleeve Or Steel Comp 4130 Sleeve
Material:	Steel Comp 8740 Stem
Material Document And Classification:	66 Fed Std 1st Material Response Sleeve Or Astm A547 Assn Std 2nd Material Response Sleeve Or 66 Fed Std 3rd Material Response Sleeve Or Mil-s-6758 Mil Spec 3rd Material Response Sleeve
Material Document And Classification:	Astm A547 Assn Std Single Material Response Stem Or Mil-s-6049 Mil Spec Single Material Response Stem
Surface Treatment:	Cadmium Stem Or Cadmium Stem And Chromate Stem
Surface Treatment Document And Classification:	Qq-p-416 Ty1 Cl3 Fed Spec Single Treatment Response Stem Or Qq-p-416 Ty2 Cl3 Fed Spec Single Treatment Response Stem

## **How to Order**

Order this blind rivet from our inventory online by visiting <a href="https://military-fasteners.com/rivets/blind+rivets/MS90354-0607">https://military-fasteners.com/rivets/blind+rivets/MS90354-0607</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rivets/blind+rivets/MS90354-0607">https://military-fasteners.com/rivets/blind+rivets/MS90354-0607</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rivets/blind+rivets/MS90354-0607">https://military-fasteners.com/rivets/blind+rivets/MS90354-0607</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the quantity you want then cart in your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the quantity you want then cart in your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the quantity you want then your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a> and selecting the your cart you can check out <a href="https://military-fasteners.com/rivets/MS90354-0607">https://military-fasteners.com/rivets/MS90354-0607</a>