

Description

Length: 4-1/2",

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS903624
Minimum Qty (MOQ):	1
NSN:	5935-00-525-3447
ECCN:	EAR99
National Motor Freight:	061680, Elec Wiring Plugs Etc

A circular placeholder with a thin grey border containing the text "NO IMAGE AVAILABLE" in all caps.

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N MS90362-4 Specifications

Body Style:	Straight Shape, Power Type
Overall Length:	4.500 Inches Nominal
Center To Center Distance Between Mounting Facilities Parallel To Length:	2.124 Inches Nominal
Overall Height:	0.188 Inches Nominal
Overall Width:	3.750 Inches Nominal
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	3.750 Inches Nominal
Distance From Mounting Shoulder To Rear Face:	2.750 Inches Nominal
Mounting Facility Thickness:	1.500 Inches Nominal
Mating End Quantity:	1
Contact Position Arrangement Style:	Bnc All Mating Ends
Contact Removability:	Removable Single Mating End Single Contact Grouping
Contact Maximum Ac Voltage Rating In Volts:	200.0 Single Mating End Single Contact Grouping
Contact Maximum Dc Voltage Rating In Volts:	200.0 Single Mating End Single Contact Grouping
Polarization Method:	Contact
Shell Type:	Solid
End Item Identification:	Aircraft Stratolifter C-135
Terminal Location:	Back Single Mating End Single Contact Grouping
Contact Material:	Copper Alloy Single Mating End Single Contact Grouping
Contact Surface Treatment:	Gold Single Mating End Single Contact Grouping
Insert Material:	Plastic Diallyl Phthalate Single Mating End
Terminal Type:	Pin Single Mating End Single Contact Grouping
Shell Material:	Aluminum Alloy 356.0
Shell Surface Treatment:	Anodize
Shell Surface Treatment Document And Classification:	Mil-a-8625,type 2 Mil Spec Single Treatment Response
Shell Material Document And Classification:	Qq-a-601,alloy 356,temper T6 Fed Spec Single Material Response
Insert Material Document And Classification:	Mil-m-14,type Sdi-30 Mil Spec Single Material Response Single Mating End
Included Contact Quantity:	2 Single Mating End 1st Contact Grouping
Included Contact Quantity:	4 Single Mating End 2nd Contact Grouping
Included Contact Type:	Round Pin Single Mating End Single Contact Grouping
Precious Material And Location:	Contact Surfaces Gold
Precious Material And Weight:	0.006 Gold Grains, Troy

How to Order

Order this electrical receptacle connector from our inventory online by visiting <https://military-fasteners.com/electrical/electrical+receptacle+connectors/MS90362-4> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.