

**Description**

Fastener Length: 1-1/2", Thread: 5/16-24, Thread Length: 63/64", MS90726 series screw

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	MS9072638
Minimum Qty (MOQ):	50
NSN:	5305-00-225-9093
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



# P/N MS90726-38 Specifications

<b>Thread Class:</b>	2a
<b>Thread Direction:</b>	Right-hand
<b>Thread Length:</b>	0.875 Inches Minimum And 1.062 Inches Maximum
<b>Fastener Length:</b>	1.438 Inches Minimum And 1.500 Inches Maximum
<b>Head Style:</b>	Hexagon
<b>Head Height:</b>	0.195 Inches Minimum And 0.211 Inches Maximum
<b>Width Between Flats:</b>	0.489 Inches Minimum And 0.500 Inches Maximum
<b>End Item Identification:</b>	Generator, 30kw, Diesel, Military Standard Family; Support Equipment, B-52 Aircraft; Support Equipment, H-3 Helicopter; Truck, Fire/crash P2; Generator, 15kw, Diesel, Military Standard Family; Helicopter, Mh-53e; Chilled Water A/c Systems; Helicopter, Advance Attack, Ah-1w; Aircraft, Hx Unique; Close In Weapon System (ciws-phalanx)
<b>Nominal Thread Diameter:</b>	0.312 Inches
<b>Thread Quantity Per Inch:</b>	24
<b>Minimum Tensile Strength:</b>	120000 Pounds Per Square Inch
<b>Hardness Rating:</b>	25.0 Rockwell C Minimum Overall And 34.0 Rockwell C Maximum Overall
<b>Material:</b>	Steel Comp 1013 Overall Or Steel Comp 1015 Overall Or Steel Comp 1016 Overall Or Steel Comp 1017 Overall Or Steel Comp 1018 Overall Or Steel Comp 1019 Overall Or Steel Comp 1020 Overall Or Steel Comp 1021 Overall Or Steel Comp 1022 Overall Or Steel Comp 1023 Overall Or Steel Comp 1025 Overall Or Steel Comp 1026 Overall Or Steel Comp 1029 Overall Or Steel Comp 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1037 Overall Or Steel Comp 1038 Overall Or Steel Comp 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1524 Overall Or Steel Comp 1527 Overall Or Steel Comp 1536 Overall Or Steel Comp 1541 Overall
<b>Material Document And Classification:</b>	Sae J429 Assn Std All Material Responses Overall
<b>Surface Treatment:</b>	Cadmium Overall And Chromate Overall
<b>Surface Treatment Document And Classification:</b>	Qq-p-416,ty 2 Cl 2 Fed Spec Single Treatment Response Overall
<b>Thread Series Designator:</b>	Unf
<b>Nondefinitive Spec/std Data:</b>	2 Type And 10p Style And 5 Grade

## How to Order

Order this hexagon head cap screw from our inventory online by visiting <https://military-fasteners.com/screws/hexagon+head+cap+screws/MS90726-38> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.